



Adaptor

866

Product no. **16030005**
GTIN **4018754013470**
Model **866**



Label. Adaptor 1 "-3/4" L.70mm

Features.

- 1" inner square to 3/4" outer square (25 x 20 mm)
- Max. load 1412 N·m
- HPQ® high performance steel
- DIN 3123/ISO 3316

Advantages.

1" internal square to 3/4" outer square (25 x 20).

Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Attributes.

| | |
|------------------------------|---------------------|
| External square drive (inch) | 3/4 |
| Internal square drive (inch) | 1 " |
| d | 43 mm |
| DIN | DIN 3123 / ISO 3316 |

Logistics data.

| | |
|---------------------|----|
| Depth mm (IFS) | 75 |
| Width mm (IFS) | 45 |
| Height mm (IFS) | 45 |
| Length (packed, mm) | 90 |

| | | | |
|----------------------|-------|-----------------------------|---------------------|
| Length mm (L) | 70 mm | Width (packed, mm) | 70 |
| | | Height (packed, mm) | 45 |
| | | Volume (packed, dm3) | 0.2835 dm3 |
| | | Art. no. | 16030005 |
| | | Weight (gross, kg) | 0,740 |
| | | Weight PAP (kg) | 0,000 |
| | | Weight PVC (kg) | 0,006 |
| | | GTIN | 4018754013470 |
| | | Country of origin | GERMANY |
| | | Region of origin | Nordrhein-Westfalen |
| | | WEEE/ElektroG | nicht ear-pflichtig |
| | | Customs tariff no. | 82042000 |
| | | Packing standard | 2 |
| | | Weight | 347 g |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|-----------------|-------------------------|---------------|
| 16030005 | 866 | Adaptor 1 "-3/4" L.70mm | 4018754013470 |

GTIN-Code.



Accessories.



16110000
Ratchet shell tool



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal