



Combination plier

65013



Product no. **65013200**
GTIN **4018754206063**
Model **6501 3 200**
KOMBINATIONSZANGE

Label. Combination plier L.200mm Head polished Handles 2-component handles

- Features.**
- DIN ISO 5746
 - Precision cutting for all wires, including piano wire
 - Blades inductively hardened approx. 62 HRC
 - For hard continuous use

Advantages.

DIN ISO 5746

Product highlights.



Safe.
The anti-slip protection prevents your hands slipping off towards the jaws.

Technologies and features.



2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids and Skydrol.

Technical Attributes.

Width mm (b)	57 mm
DIN	DIN ISO 5746
Handles	2-component handles
Hard wire (3)	2,5 mm
Cable (5)	13 mm
Cable (6) mm ²	16 mm ²
Head	polished
Length mm (L)	200 mm
Piano wire (4)	2 mm

Logistics data.

Depth mm (IFS)	213
Width mm (IFS)	57
Height mm (IFS)	24
Length (packed, mm)	215
Width (packed, mm)	59
Height (packed, mm)	25
Volume (packed, dm ³)	0.317125 dm ³
Art. no.	65013200
Weight (gross, kg)	0,316
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754206063
Country of origin	GERMANY
Region of origin	Thüringen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82032000
Packing standard	1
Weight	312 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
65013160	6501 3 160 KOMBINATIONSZANGE	Combination plier L.160mm Head polished Handles 2-component handles	4018754206049
65013180	6501 3 180 KOMBINATIONSZANGE	Combination plier L.180mm Head polished Handles 2-component handles	4018754206056
65013200	6501 3 200 KOMBINATIONSZANGE	Combination plier L.200mm Head polished Handles 2-component handles	4018754206063

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal