

## Screwdriver socket

54TX



Product no. **03100060**  
GTIN **4018754006724**  
Model **54 TX T 60**



**Label.** 1/2 " Screwdriver socket L.58mm


**Features.**

- for inside TORX® screws
- Chrome Alloy Steel, chrome plated

## Advantages.

For recessed TORX® screws

## Technical Drawing.



## Technical Attributes.

Drive profile TORX®  
Internal square drive (inch) 1/2 "

## Logistics data.

Depth mm (IFS) 58  
Width mm (IFS) 24

|                               |         |                             |                     |
|-------------------------------|---------|-----------------------------|---------------------|
| <b>d</b>                      | 23,7 mm | <b>Height mm (IFS)</b>      | 24                  |
| <b>Size of output profile</b> | T60     | <b>Length (packed, mm)</b>  | 130                 |
| <b>L1</b>                     | 58 mm   | <b>Width (packed, mm)</b>   | 70                  |
| <b>L2</b>                     | 18 mm   | <b>Height (packed, mm)</b>  | 24                  |
|                               |         | <b>Volume (packed, dm3)</b> | 0.2184 dm3          |
|                               |         | <b>Art. no.</b>             | 03100060            |
|                               |         | <b>Weight (gross, kg)</b>   | 0,565               |
|                               |         | <b>Weight PAP (kg)</b>      | 0,000               |
|                               |         | <b>Weight PVC (kg)</b>      | 0,004               |
|                               |         | <b>GTIN</b>                 | 4018754006724       |
|                               |         | <b>Country of origin</b>    | GERMANY             |
|                               |         | <b>Region of origin</b>     | Nordrhein-Westfalen |
|                               |         | <b>WEEE/ElektroG</b>        | nicht ear-pflichtig |
|                               |         | <b>Customs tariff no.</b>   | 82042000            |
|                               |         | <b>Packing standard</b>     | 5                   |
|                               |         | <b>Weight</b>               | 113 g               |

## Variants.

| Art. no. | Model no. (ERP) | Description                     | GTIN          |
|----------|-----------------|---------------------------------|---------------|
| 03100020 | 54 TX T 20      | 1/2 " Screwdriver socket L.55mm | 4018754006649 |
| 03100025 | 54 TX T 25      | 1/2 " Screwdriver socket L.55mm | 4018754006656 |
| 03100027 | 54 TX T 27      | 1/2 " Screwdriver socket L.55mm | 4018754006663 |
| 03100030 | 54 TX T 30      | 1/2 " Screwdriver socket L.55mm | 4018754006670 |
| 03100040 | 54 TX T 40      | 1/2 " Screwdriver socket L.55mm | 4018754006687 |
| 03100045 | 54 TX T 45      | 1/2 " Screwdriver socket L.55mm | 4018754006694 |
| 03100050 | 54 TX T 50      | 1/2 " Screwdriver socket L.55mm | 4018754006700 |
| 03100055 | 54 TX T 55      | 1/2 " Screwdriver socket L.58mm | 4018754006717 |
| 03100060 | 54 TX T 60      | 1/2 " Screwdriver socket L.58mm | 4018754006724 |
| 03100070 | 54 TX T 70      | 1/2 " Screwdriver socket L.60mm | 4018754132362 |

## GTIN-Code.





**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal