



Sockets

40

Product no. **01010004**
GTIN **4018754000005**
Model **40 4**



Label.

1/4 " hex AS-Drive® Sockets Spanner size 4mm L.23mm

Features.

- DIN 3124/ISO 2725-1, ASME B 107.5M, DIN EN 3709 (test loads)
- HPQ® high performance steel, chrome plated

Advantages.

The special AS drive profile makes high force transmission to the sides of screws and bolts possible without damaging them.

1/4" drive, with chrome-plated, corrosion-resistant surface for a long service life.

Robust quality tool for the professional user – Made in Germany

High Performance Quality (HPQ®) reinforcing steel, extremely resilient, thin-walled and ideal for working in tight spaces.

Ideal for a wide range of car, bicycle, motorcycle, and industrial jobs.


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Drawing.



Technical Attributes.

| | |
|------------------------------|---|
| Drive profile | hex AS-Drive® |
| Internal square drive (inch) | 1/4 " |
| d1 | 6,7 mm |
| d2 | 10,7 mm |
| d3 | 3,2 mm |
| DIN | DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3709 |
| Length mm (L) | 23 mm |
| Width across flats [mm] | 4 mm |
| t1 | 3,5 mm |
| t2 | 15 mm |

Logistics data.

| | |
|----------------------|---------------------|
| Depth mm (IFS) | 23 |
| Width mm (IFS) | 11 |
| Height mm (IFS) | 11 |
| Length (packed, mm) | 93 |
| Width (packed, mm) | 33 |
| Height (packed, mm) | 15 |
| Volume (packed, dm3) | 0.046035 dm3 |
| Art. no. | 01010004 |
| Weight (gross, kg) | 0,093 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,002 |
| GTIN | 4018754000005 |
| Country of origin | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Packing standard | 10 |
| Weight | 9 g |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|-----------------|--|---------------|
| 01010003 | 40 3 | 1/4 " hex AS-Drive® Socket Spanner size 3mm L.23mm | 4018754194179 |
| 01010032 | 40 3,2 | 1/4 " hex AS-Drive® Sockets Spanner size 3,2mm L.23mm | 4018754000111 |

| | | | |
|----------|--------|--|---------------|
| 01010035 | 40 3,5 | 1/4 " hex AS-Drive® Sockets Spanner size 3,5mm L.23mm | 4018754000128 |
| 01010004 | 40 4 | 1/4 " hex AS-Drive® Sockets Spanner size 4mm L.23mm | 4018754000005 |
| 01010045 | 40 4,5 | 1/4 " hex AS-Drive® Sockets Spanner size 4,5mm L.23mm | 4018754000135 |
| 01010005 | 40 5 | 1/4 " hex AS-Drive® Sockets Spanner size 5mm L.23mm | 4018754000012 |
| 01010055 | 40 5,5 | 1/4 " hex AS-Drive® Sockets Spanner size 5,5mm L.23mm | 4018754000142 |
| 01010006 | 40 6 | 1/4 " hex AS-Drive® Sockets Spanner size 6mm L.23mm | 4018754000029 |
| 01010007 | 40 7 | 1/4 " hex AS-Drive® Sockets Spanner size 7mm L.23mm | 4018754000036 |
| 01010008 | 40 8 | 1/4 " hex AS-Drive® Sockets Spanner size 8mm L.23mm | 4018754000043 |
| 01010009 | 40 9 | 1/4 " hex AS-Drive® Sockets Spanner size 9mm L.23mm | 4018754000050 |
| 01010010 | 40 10 | 1/4 " hex AS-Drive® Sockets Spanner size 10mm L.23mm | 4018754000067 |
| 01010011 | 40 11 | 1/4 " hex AS-Drive® Sockets Spanner size 11mm L.23mm | 4018754000074 |
| 01010012 | 40 12 | 1/4 " hex AS-Drive® Sockets Spanner size 12mm L.23mm | 4018754000081 |
| 01010013 | 40 13 | 1/4 " hex AS-Drive® Sockets Spanner size 13mm L.23mm | 4018754000098 |
| 01010014 | 40 14 | 1/4 " hex AS-Drive® Sockets Spanner size 14mm L.24mm | 4018754000104 |

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal