

## Telescopic ratchet 1/2"

**516**



Product no. **13160000**  
GTIN **4018754336388**  
Model **516 TELESKOPKNARRE 1/2 ZOLL**



**Label.** Telescopic ratchet 1/2 RSW.10° L.410-630mm

- Features.**
- easily reach torque when shaft is extended
  - compact size when collapsed
  - ideal for portable tool storage
  - combined with matching sockets, an alternative to the wheel spider
  - 1/2" square drive with ball lock, reversible
  - DIN 3122/ISO 3315
  - stable due to maintenance-free slide bearing, stop secured
  - comfortable, simple and quick adjustment of lengths via rocker switch
  - five locking steps with the extension lengths: 410 mm, 465 mm, 520 mm, 575 mm, 630 mm
  - 2-component handle with ergonomic bale shape for fatigue-free working
  - resistant to oils, greases, brake fluids and Skydrol
  - Chrome-Alloy-Steel, chrome-plated
  - Optional: original STAHLWILLE spare parts kit for sustainable use

## Advantages.

1/2" square drive with ball locking device, interchangeable, DIN 3122/ISO 3315.

Convenient, easy and fast (even one-handed) length adjustment via a rocker switch.

2-component handle with ergonomic bale shape for fatigue-free working, resistant to oils, greases, brake fluids and Skydrol.

Stable thanks to maintenance-free sliding bearing with a secured stop.

Five locking steps with the following extension lengths: 410 mm, 465 mm, 520 mm, 575 mm, 630 mm.




## Product highlights.



### Adjustable length.

The length can be adjusted conveniently and even with one hand using the rocker switch in increments of 55 mm (410 mm, 465 mm, 520 mm, 575 mm and 630 mm).



### DIN-tested quality.

The sturdy ratchet drive has 36 teeth and delivers DIN-tested (DIN 3122/ISO 3315) high tightening forces of up to 512 Nm.



### Durable extension.

The maintenance-free slide bearing and stop protection ensure that the extension operates quickly and safely, and is extremely durable


## Technologies and features.



### 2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids and Skydrol.

## Technical Drawing.



## Technical Attributes.

a	40 mm
External square drive (inch)	1/2
Number of teeth	36
Working angle	10 °
Width mm (b)	40 mm
DIN	DIN 3122 / ISO 3315
Length mm (L)	410-630 mm

## Logistics data.

Depth mm (IFS)	510
Width mm (IFS)	100
Height mm (IFS)	40
Length (packed, mm)	510
Width (packed, mm)	100
Height (packed, mm)	40
Volume (packed, dm3)	2.04 dm3
Art. no.	13160000
Weight (gross, kg)	1,110
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754336388
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041200
Packing standard	1
Weight	1100 g

## Variants.

Art. no.	Model no. (ERP)	Description	GTIN
13160000	516 TELESKOPKNARRE 1/2 ZOLL	Telescopic ratchet 1/2 RSW.10° L.410-630mm	4018754336388

## GTIN-Code.




## Accessories.



13180010  
Bit holder



13030002  
Adapter



13030005  
Adapter

## Spare parts/spare part for.



19040000  
Ratchet spare parts  
sets for torque  
wrenches No.721

## Images.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal