



## TORX® sockets 1/2"

50TX

Product no. 03270012  
GTIN 4018754007271  
Model 50 TX E 12



Label. 1/2 " Socket L.38mm


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical Drawing.



## Technical Attributes.

<b>Drive profile</b>	TORX®
<b>Internal square drive (inch)</b>	1/2 "
<b>d1</b>	14,9 mm
<b>d2</b>	22 mm
<b>d3</b>	7,2 mm
<b>Size of output profile</b>	E12
<b>Length mm (L)</b>	38 mm
<b>t1</b>	9,5 mm
<b>t2</b>	22 mm

## Logistics data.

<b>Depth mm (IFS)</b>	39
<b>Width mm (IFS)</b>	22
<b>Height mm (IFS)</b>	22
<b>Length (packed, mm)</b>	100
<b>Width (packed, mm)</b>	85
<b>Height (packed, mm)</b>	41
<b>Volume (packed, dm3)</b>	0.3485 dm3
<b>Product no.</b>	03270012
<b>Weight (gross, kg)</b>	0,555
<b>Weight PAP (kg)</b>	0,000
<b>Weight PVC (kg)</b>	0,006
<b>GTIN</b>	4018754007271
<b>Country of origin</b>	GERMANY
<b>Region of origin</b>	Nordrhein-Westfalen
<b>WEEE/ElektroG</b>	nicht ear-pflichtig
<b>Customs tariff no.</b>	82042000
<b>Packing standard</b>	10
<b>Weight</b>	60 g

## Variants.

<b>Product no.</b>	<b>Model no. (ERP)</b>	<b>Description</b>	<b>GTIN</b>
03270010	50 TX E 10	1/2 " Socket L.38mm	4018754007257
03270011	50 TX E 11	1/2 " Socket L.38mm	4018754007264
03270012	50 TX E 12	1/2 " Socket L.38mm	4018754007271
03270014	50 TX E 14	1/2 " Socket L.38mm	4018754007288
03270016	50 TX E 16	1/2 " Socket L.38mm	4018754007295
03270018	50 TX E 18	1/2 " Socket L.38mm	4018754007301
03270020	50 TX E 20	1/2 " Socket L.38mm	4018754007318
03270024	50 TX E 24	1/2 " Socket L.41,2mm	4018754007325

## GTIN-Code.

