

## Flex sockets 1/4", metric

402



Product no. 01140010  
GTIN 4018754000708  
Model 402 10



**Label.** 1/4 " Flex socket Wrench size 10mm L.38mm


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical Drawing.



## Technical Attributes.

Drive profile	bi-hex AS-Drive®
Internal square drive (inch)	1/4 "
d1	14,2 mm
d2	12,7 mm
d3	9 mm
Length mm (L)	38 mm
Width across flats [mm]	10 mm
t1	12 mm
t2	14 mm

## Logistics data.

Depth mm (IFS)	38
Width mm (IFS)	15
Height mm (IFS)	15
Length (packed, mm)	80
Width (packed, mm)	40
Height (packed, mm)	15
Volume (packed, dm3)	0.048 dm3
Product no.	01140010
Weight (gross, kg)	0,105
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754000708
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Packing standard	5
Weight	21 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
01140006	402 6	1/4 " Flex socket Wrench size 6mm L.32mm	4018754140978
01140007	402 7	1/4 " Flex socket Wrench size 7mm L.33,5mm	4018754000678
01140008	402 8	1/4 " Flex socket Wrench size 8mm L.35mm	4018754000685
01140009	402 9	1/4 " Flex socket Wrench size 9mm L.36mm	4018754000692
01140010	402 10	1/4 " Flex socket Wrench size 10mm L.38mm	4018754000708

## GTIN-Code.



