

Combination plier

65015



Product no. **65015200**
GTIN **4018754036196**
Model **6501 5 200 KOMBIZANGE**

Label.

Combination plier L.200mm Head Chrome-plated Handles 2-component handles

Features.

- DIN ISO 5746
- precision cutting edges for all wires, incl. piano wire
- induction hardened cutting edges, approx. 62 HRC
- for long life

Advantages.

DIN ISO 5746

Product highlights.



Safe.

The anti-slip protection prevents your hands slipping off towards the jaws.

Technologies and features.



2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids and Skydrol.

Technical Attributes.

Width mm (b)	60 mm
DIN	DIN ISO 5746
Handles	2-component handles
Hard wire (3)	2,5 mm
Cable (5)	13 mm
Cable (6) mm ²	16 mm ²
Head	Chrome-plated
Length mm (L)	200 mm
Piano wire (4)	2 mm

Logistics data.

Depth mm (IFS)	203
Width mm (IFS)	60
Height mm (IFS)	26
Length (packed, mm)	212
Width (packed, mm)	64
Height (packed, mm)	27
Volume (packed, dm ³)	0.366336 dm ³
Art. no.	65015200
Weight (gross, kg)	0,310
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
GTIN	4018754036196
Country of origin	GERMANY
Region of origin	Thüringen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82032000
Packing standard	1
Weight	310 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
65015160	6501 5 160 KOMBIZANGE	Combination plier L.160mm Head Chrome-plated Handles 2-component handles	4018754036172
65015180	6501 5 180 KOMBIZANGE	Combination plier L.180mm Head Chrome-plated Handles 2-component handles	4018754036189
65015200	6501 5 200 KOMBIZANGE	Combination plier L.200mm Head Chrome-plated Handles 2-component handles	4018754036196

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal