



TORX® sockets 1/2"

50TX

Product no. **03270018**
GTIN **4018754007301**
Model **50 TX E 18**



Label. 1/2 " Socket L.38mm


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Drawing.



Technical Attributes.

| | |
|------------------------------|---------|
| Drive profile | TORX® |
| Internal square drive (inch) | 1/2 " |
| d1 | 21 mm |
| d2 | 26,5 mm |
| d3 | 10,4 mm |
| Size of output profile | E18 |
| Length mm (L) | 38 mm |
| t1 | 13,5 mm |
| t2 | 22 mm |

Logistics data.

| | |
|----------------------|---------------------|
| Depth mm (IFS) | 42 |
| Width mm (IFS) | 29 |
| Height mm (IFS) | 29 |
| Length (packed, mm) | 170 |
| Width (packed, mm) | 80 |
| Height (packed, mm) | 50 |
| Volume (packed, dm3) | 0.68 dm3 |
| Product no. | 03270018 |
| Weight (gross, kg) | 0,920 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,006 |
| GTIN | 4018754007301 |
| Country of origin | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82042000 |
| Packing standard | 10 |
| Weight | 92 g |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|-----------------|-----------------------|---------------|
| 03270010 | 50 TX E 10 | 1/2 " Socket L.38mm | 4018754007257 |
| 03270011 | 50 TX E 11 | 1/2 " Socket L.38mm | 4018754007264 |
| 03270012 | 50 TX E 12 | 1/2 " Socket L.38mm | 4018754007271 |
| 03270014 | 50 TX E 14 | 1/2 " Socket L.38mm | 4018754007288 |
| 03270016 | 50 TX E 16 | 1/2 " Socket L.38mm | 4018754007295 |
| 03270018 | 50 TX E 18 | 1/2 " Socket L.38mm | 4018754007301 |
| 03270020 | 50 TX E 20 | 1/2 " Socket L.38mm | 4018754007318 |
| 03270024 | 50 TX E 24 | 1/2 " Socket L.41,2mm | 4018754007325 |

GTIN-Code.

