



Screwdriver socket

54CV



Product no. **03090009**
GTIN **4018754108602**
Model **54 CV M 9**



Label. 1/2 " Screwdriver socket Ribe-CV® L.60mm


Features.

- For spline socket screws (RIBE-CV®)
- Chrome-alloy steel, chrome plated

Advantages.

For spline socket head screws (Ribe-CV®)

Technical Drawing.



Technical Attributes.

Internal square drive (inch) 1/2 "
d 22,7 mm

Logistics data.

Depth mm (IFS) 61
Width mm (IFS) 23

Size of output profile	M9	Height mm (IFS)	23
L1	60 mm	Length (packed, mm)	130
L2	22 mm	Width (packed, mm)	95
		Height (packed, mm)	25
		Volume (packed, dm3)	0.30875 dm3
		Art. no.	03090009
		Weight (gross, kg)	0,470
		Weight PAP (kg)	0,000
		Weight PVC (kg)	0,004
		GTIN	4018754108602
		Country of origin	GERMANY
		Region of origin	Nordrhein-Westfalen
		WEEE/ElektroG	nicht ear-pflichtig
		Customs tariff no.	82042000
		Packing standard	5
		Weight	92 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
03090005	54 CV M 5	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754006571
03090006	54 CV M 6	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754006588
03090007	54 CV M 7	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754108596
03090008	54 CV M 8	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754006595
03090009	54 CV M 9	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754108602
03090010	54 CV M 10	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754006601
03090012	54 CV M 12	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754006618
03090013	54 CV M 13	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754108619
03090014	54 CV M 14	1/2 " Screwdriver socket Ribe-CV® L.60mm	4018754006625
03090016	54 CV M 16	1/2 " Screwdriver socket Ribe-CV® L.63mm	4018754006632

GTIN-Code.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal