



Transducer laboratory for torque wrenches and torque screwdrivers

7728-40

Product no. **96524040**
GTIN **4018754239405**
Model **7728-40**



Label. Transducer laboratory 40N·m-400N·m Internal square 3/4" D.156mm

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



DAkks calibration certificate

Our torque tools, transducers and test equipment have an official, internationally recognized calibration certificate in accordance with the requirements of DIN EN ISO/IEC 17025:2018 for the traceability by our in-house DAkks-accredited calibration laboratory.

Technical Attributes.

| | |
|---|----------|
| Internal square [inch] | 3/4 " |
| Display deviation +- 0.5% of measured value N·m | 40-400 |
| Display deviation +- 0.25% of measuring value N·m N·m | 80-400 |
| Display deviation +- 0.5% of measured value in·lb | 354-3540 |
| Display deviation +- 0.5% of measured value ft·lb | 30-295 |

Logistics data.

| | |
|-----------------------------------|----------------------|
| Depth mm (IFS) | 300 |
| Width mm (IFS) | 245 |
| Height mm (IFS) | 100 |
| Length (packed, mm) | 300 |
| Width (packed, mm) | 245 |
| Height (packed, mm) | 100 |
| Volume (packed, dm ³) | 7.35 dm ³ |

| | | | |
|--------------------------|---------|------------------------------|---------------------|
| d | 156 mm | Product no. | 96524040 |
| Weight with box | 5507 g | Weight (gross, kg) | 5,972 |
| Size | 40 | Weight PAP (kg) | 0,092 |
| MA N·m | 40 N·m | Weight PVC (kg) | 0,000 |
| Nominal value N·m | 400 N·m | GTIN | 4018754239405 |
| | | Country of origin AWR | GERMANY |
| | | Region of origin | Nordrhein-Westfalen |
| | | WEEE/ElektroG | Kleingeräte B2C |
| | | Customs tariff no. | 90319000 |
| | | Packing standard | 1 |
| | | Weight | 4846 g |

Parts list.



81500003
Plastic box, empty

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|-----------------|--|---------------|
| 96524011 | 7728-1S | Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm | 4018754239382 |
| 96524001 | 7728-1 | Transducer laboratory 1N·m-10N·m Internal square 1/4" D.120mm | 4018754239337 |
| 96524002 | 7728-2 | Transducer laboratory 2N·m-20N·m Internal square 1/4" D.120mm | 4018754239344 |
| 96524004 | 7728-4 | Transducer laboratory 4N·m-40N·m Internal square 3/8" D.120mm | 4018754239351 |
| 96524006 | 7728-6 | Transducer laboratory 6N·m-60N·m Internal square 3/8" D.120mm | 4018754239368 |
| 96524010 | 7728-10 | Transducer laboratory 10N·m-100N·m Internal square 3/8" D.120mm | 4018754239375 |
| 96524020 | 7728-20 | Transducer laboratory 20N·m-200N·m Internal square 1/2" D.120mm | 4018754239399 |
| 96524040 | 7728-40 | Transducer laboratory 40N·m-400N·m Internal square 3/4" D.156mm | 4018754239405 |
| 96524065 | 7728-65 | Transducer laboratory 65N·m-650N·m Internal square 3/4" D.156mm | 4018754239412 |

| | | | |
|----------|----------|---|---------------|
| 96524080 | 7728-80 | Transducer laboratory 80N·m-800N·m Internal square 3/4" D.156mm | 4018754239429 |
| 96524100 | 7728-100 | Transducer laboratory 100N·m-1000N·m Internal square 3/4" D.156mm | 4018754239436 |
| 96524300 | 7728-300 | Transducer laboratory 300N·m-3000N·m Internal square 1 1/2" D.195mm | 4018754239443 |

GTIN-Code.



Accessories.



52110054
Cable



96583631
USB adapter, jack cable
and software
Torkmaster