




## Torque wrench MANOSKOP®

### 730R Quick



Product no. **96504020**  
GTIN **4018754269518**  
Model **730R/20 QUICK**



#### Label.

Torque wrench MANOSKOP® 730R Quick 40-200N·m 1/2" L. 530mm

## Product highlights.



#### Adjustment does not require disassembly.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.



## Technologies and features.



#### Low-wear flexible rod system

Our torque wrench is equipped with a low-wear trigger system with a bending beam. Unlike conventional torque wrenches with coiled springs, the flexible rod is not preloaded in unloaded state, which means that the 'spring' does not need to be reset to "0" after use.

## Technical Attributes.

Scale division N·m 5 N·m

## Logistics data.

Depth mm (IFS) 530

|  |                        |                                   |                         |
|--|------------------------|-----------------------------------|-------------------------|
| Measuring range N·m                      | 40-200 N·m             | Width mm (IFS)                    | 55                      |
| Measuring range ft·lb                    | 30-145 ft·lb           | Height mm (IFS)                   | 55                      |
| External square drive (inch)             | 1/2                    | Length (packed, mm)               | 530                     |
| Width mm (b)                             | 55 mm                  | Width (packed, mm)                | 55                      |
| DIN                                      | DIN EN ISO 6789-2:2017 | Height (packed, mm)               | 55                      |
| Size                                     | 20                     | Volume (packed, dm <sup>3</sup> ) | 1.60325 dm <sup>3</sup> |
| Size tool holder [internal square drive] | 14 x 18 mm             | Product no.                       | 96504020                |
| Height mm (h)                            | 55 mm                  | Weight (gross, kg)                | 1,640                   |
| Length mm (L)                            | 530 mm                 | Weight PAP (kg)                   | 0,000                   |
| LF                                       | 435 mm                 | Weight PVC (kg)                   | 0,066                   |
|  |                        | GTIN                              | 4018754269518           |
|  |                        | Country of origin AWR             | GERMANY                 |
|  |                        | Region of origin                  | Nordrhein-Westfalen     |
|  |                        | WEEE/ElektroG                     | nicht ear-pflichtig     |
|  |                        | Customs tariff no.                | 82041100                |
|  |                        | Packing standard                  | 1                       |
|  |                        | Weight                            | 1626 g                  |

## Parts list.



50184020  
Torque wrench service  
MANOSKOP®

## Variants.

| Product no. | Model no. (ERP) | Description  | GTIN          |
|-------------|-----------------|--|---------------|
| 96501054    | 730R/2-1 Quick  | Torque wrench MANOSKOP® 730R Quick 2-10N·m 1/4" L. 250mm   | 4018754339976 |
| 96504002    | 730R/2 QUICK    | Torque wrench MANOSKOP® 730R Quick 4-20N·m 3/8" L. 255mm   | 4018754311354 |
| 96504004    | 730R/4 QUICK    | Torque wrench MANOSKOP® 730R Quick 8-40N·m 3/8" L. 285mm   | 4018754311361 |
| 96504005    | 730R/5 QUICK    | Torque wrench MANOSKOP® 730R Quick 6-50N·m 3/8" L. 380mm   | 4018754269488 |
| 96504010    | 730R/10 QUICK   | Torque wrench MANOSKOP® 730R Quick 20-100N·m 1/2" L. 430mm | 4018754269495 |

|          |                 |  |               |
|----------|-----------------|--|---------------|
| 96504012 | 730R/12 QUICK   | Torque wrench MANOSKOP® 730R Quick 25-130N·m 1/2" L. 475mm   | 4018754269501 |
| 96504020 | 730R/20 QUICK   | Torque wrench MANOSKOP® 730R Quick 40-200N·m 1/2" L. 530mm   | 4018754269518 |
| 96504030 | 730R/30 QUICK   | Torque wrench MANOSKOP® 730R Quick 60-300N·m 1/2" L. 590mm   | 4018754326006 |
| 96504040 | 730R/40 QUICK   | Torque wrench MANOSKOP® 730R Quick 80-400N·m 3/4" L. 675mm   | 4018754269525 |
| 96504565 | 730RII/65 QUICK | Torque wrench MANOSKOP® 730R Quick 130-650N·m 3/4" L. 1125mm | 4018754269563 |

## GTIN-Code.



## Images.

