



Series MANOSKOP® torque wrench w. permanently installed ratchet

755R/1



Product no. **50100001**
GTIN **4018754096268**
Model **755R/1**

Label. Torque wrench series MANOSKOP® 755R/1 1,5-12,5N·m 1/4" L. 173,5mm

Features. For work on conveyor belts or in serial production. No adjustment scale; therefore adjustment with test equipment is required, e.g. with the STAHLOWILLE test devices No. 7707 W, SmartCheck or the calibration systems No. 7794, No. 7706.

- **Independent point of force application**
- Triggering
- With built-in ratchet for sockets
- Dual stop signal
- Particularly lightweight and easy to handle
- Handle and shaft made of square steel pipe
- Further loading after triggering or loads in the opposite direction of operation (max. up to the measurement range limit of the torque wrench) do not affect the trigger mechanism, which protects it from damage
- On request with pre-set trigger value (price surcharge 10%)
- Adjustment with torque wrench test device
- **Display deviation $\pm 4\%$**


Technologies and features.



Factory calibration certificate (ISO calibration)

Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical Drawing.



Technical Attributes.

| | |
|------------------------------|---------------|
| Measuring range N·m | 1,5-12,5 N·m |
| Measuring range ft·lb | 1,0-9,0 ft·lb |
| External square drive (inch) | 1/4 |
| Width mm (b) | 22 mm |
| Height mm (h) | 18 mm |
| Length mm (L) | 173,5 mm |
| MA N·m | 1.5 N·m |
| Nominal value N·m | 12.5 N·m |

Logistics data.

| | |
|-----------------------------------|-------------------------|
| Depth mm (IFS) | 175 |
| Width mm (IFS) | 28 |
| Height mm (IFS) | 27 |
| Length (packed, mm) | 230 |
| Width (packed, mm) | 52 |
| Height (packed, mm) | 52 |
| Volume (packed, dm ³) | 0.62192 dm ³ |
| Product no. | 50100001 |
| Weight (gross, kg) | 0,405 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,066 |
| GTIN | 4018754096268 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 335 g |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|-----------------|--|---------------|
| 50100001 | 755R/1 | Torque wrench series MANOSKOP® 755R/1 1,5-12,5N·m 1/4" L. 173,5mm | 4018754096268 |

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal