

## Torque wrench service/series MANOSKOP®

730DR



Product no. **96501820**  
GTIN **4018754175659**  
Model **730DR/20**



**Label.** Torque wrench service/series MANOSKOP® 730DR 20-200N·m 1/2" L. 595mm

## Product highlights.



### Ideal.

After clicking, the MANOSKOP® 730D indicates the torque actually applied. As a result, the user has the opportunity to optimise his/her working methods.



### Reader friendly.

The LCD display is easy to read and evaluates the fastener visually by means of coloured displays. All settings can be made quickly and easily using the keyboard, which uses only four keys.

## Technologies and features.



### Factory calibration certificate (ISO calibration)

Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.



### QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



### 2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids and Skydrol. The arrow markings on the handle indicate the direction of operation.

## Technical Attributes.

Measuring range N·m	20-200 N·m
Measuring range ft·lb	15-150 ft·lb
Measuring range in·lb	180-1800 in·lb
External square drive (inch)	1/2
Number of teeth	60
Setting display resolution N·m	0,5/0,1 N·m
Setting display resolution ft·lb	0,5/0,1 ft·lb
Setting display resolution in·lb	5/1,0 in·lb
Battery type	Mignon (AA) 1,5V
Width mm (b)	95 mm
DIN	DIN EN ISO 6789-2:2017
Weight with box	2198 g
Size	20
Size tool holder [internal square drive]	14 x 18 mm
Height mm (h)	74 mm
Length mm (L)	595 mm
MA N·m	20 N·m
Nominal value N·m	200 N·m

## Logistics data.

Depth mm (IFS)	685
Width mm (IFS)	95
Height mm (IFS)	74
Length (packed, mm)	685
Width (packed, mm)	95
Height (packed, mm)	74
Volume (packed, dm <sup>3</sup> )	4.81555 dm <sup>3</sup>
Product no.	96501820
Weight (gross, kg)	2,525
Weight PAP (kg)	0,130
Weight PVC (kg)	0,000
GTIN	4018754175659
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	Großgeräte B2C
Customs tariff no.	82041100
Packing standard	1
Weight	1663 g

## Parts list.



81370003  
Plastic box, empty



83071002  
Insert for plastic box

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
96501810	730DR/10	Torque wrench service/series MANOSKOP® 730DR 10-100N·m 1/2" L. 501mm	4018754175642
96501820	730DR/20	Torque wrench service/series MANOSKOP® 730DR 20-200N·m 1/2" L. 595mm	4018754175659
96501840	730DR/40	Torque wrench service/series MANOSKOP® 730DR 40-400N·m 3/4" L. 738mm	4018754175666
96501865	730DR/65	Torque wrench service/series MANOSKOP® 730DR 65-650N·m 3/4" L. 975mm	4018754187638
96502065	730DIIR/65	Torque wrench service/series MANOSKOP® 730DR 65-650N·m 3/4" L. 977mm	4018754240081
96501880	730DR/80	Torque wrench service/series MANOSKOP® 730DR 80-800N·m 3/4" L. 1255mm	4018754240067
96501800	730DR/100	Torque wrench service/series MANOSKOP® 730DR 100-1000N·m 3/4" L. 1439mm	4018754240050

## GTIN-Code.

