



## IMPACT socket

**56IMP**

Product no. **25020046**  
GTIN **4018754233939**  
Model **56 IMP 46**



**Label.** IMPACT socket 3/4 " 46mm L.92mm

- Features.**
- long version
  - with hex
  - 3/4" internal square drive
  - Chrome Alloy Steel, gunmetal finish
  - DIN 3129 / ISO 1711-2

## Advantages.

3/4" internal square drive.

## Product highlights.



### Powerful and resilient.

The sockets are made from high-quality Chrome Alloy Steel. They are hardened in oil to prevent stress and distortion.



### Optimized functionality.

All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.



### High fitting accuracy.

The high precision fit, achieved through tight tolerances, ensures optimal, backlash-free transmission of forces to the socket.

## Technical Drawing.



## Technical Attributes.

|                              |       |
|------------------------------|-------|
| Drive profile                | hex   |
| Internal square drive (inch) | 3/4 " |
| d1                           | 67 mm |
| d2                           | 44 mm |
| Length mm (L)                | 92 mm |
| Width across flats [mm]      | 46 mm |
| t                            | 64 mm |

## Logistics data.

|                                   |                           |
|-----------------------------------|---------------------------|
| Depth mm (IFS)                    | 99                        |
| Width mm (IFS)                    | 67                        |
| Height mm (IFS)                   | 67                        |
| Length (packed, mm)               | 100                       |
| Width (packed, mm)                | 68                        |
| Height (packed, mm)               | 68                        |
| Volume (packed, dm <sup>3</sup> ) | 0.4624 dm <sup>3</sup>    |
| Product no.                       | 25020046                  |
| Weight (gross, kg)                | 1,340                     |
| Weight PAP (kg)                   | 0,000                     |
| Weight PVC (kg)                   | 0,004                     |
| GTIN                              | 4018754233939             |
| Country of origin AWR             | TAIWAN, PROVINCE OF CHINA |
| Region of origin                  | Ausländischer Ursprung    |
| WEEE/ElektroG                     | nicht ear-pflichtig       |
| Customs tariff no.                | 82042000                  |
| Packing standard                  | 1                         |
| Weight                            | 1340 g                    |

## Variants.

| Product no. | Model no. (ERP) | Description                      | GTIN          |
|-------------|-----------------|----------------------------------|---------------|
| 25020017    | 56 IMP 17       | IMPACT socket 3/4 " 17mm L.90mm  | 4018754233908 |
| 25020019    | 56 IMP 19       | IMPACT socket 3/4 " 19mm L.90mm  | 4018754233915 |
| 25020021    | 56 IMP 21       | IMPACT socket 3/4 " 21mm L.100mm | 4018754015801 |
| 25020022    | 56 IMP 22       | IMPACT socket 3/4 " 22mm L.100mm | 4018754015818 |
| 25020024    | 56 IMP 24       | IMPACT socket 3/4 " 24mm L.100mm | 4018754015825 |
| 25020027    | 56 IMP 27       | IMPACT socket 3/4 " 27mm L.100mm | 4018754015832 |
| 25020030    | 56 IMP 30       | IMPACT socket 3/4 " 30mm L.100mm | 4018754015856 |
| 25020032    | 56 IMP 32       | IMPACT socket 3/4 " 32mm L.100mm | 4018754015863 |
| 25020034    | 56 IMP 34       | IMPACT socket 3/4 " 34mm L.100mm | 4018754015887 |
| 25020036    | 56 IMP 36       | IMPACT socket 3/4 " 36mm L.100mm | 4018754015894 |
| 25020041    | 56 IMP 41       | IMPACT socket 3/4 " 41mm L.92mm  | 4018754233922 |
| 25020046    | 56 IMP 46       | IMPACT socket 3/4 " 46mm L.92mm  | 4018754233939 |

## GTIN-Code.



## Accessories.



39023540  
Connecting pin



39013650  
Rubber ring

