




## Torque wrench MANOSKOP®

### 730R Quick



Product no. **96504002**  
GTIN **4018754311354**  
Model **730R/2 QUICK**



#### Label.

Torque wrench MANOSKOP® 730R Quick 4-20N·m 3/8" L. 255mm

### Product highlights.



#### Adjustment does not require disassembly.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.



### Technologies and features.



#### Low-wear flexible rod system

Our torque wrench is equipped with a low-wear trigger system with a bending beam. Unlike conventional torque wrenches with coiled springs, the flexible rod is not preloaded in unloaded state, which means that the 'spring' does not need to be reset to "0" after use.

### Technical Attributes.

Scale division N·m 0,5 N·m

### Logistics data.

Depth mm (IFS) 255

<b>Measuring range N·m</b>	4-20 N·m	<b>Width mm (IFS)</b>	55
<b>Measuring range ft·lb</b>	- ft·lb	<b>Height mm (IFS)</b>	55
<b>External square drive (inch)</b>	3/8	<b>Length (packed, mm)</b>	255
<b>Width mm (b)</b>	55 mm	<b>Width (packed, mm)</b>	55
<b>DIN</b>	DIN EN ISO 6789-2:2017	<b>Height (packed, mm)</b>	55
<b>Size</b>	2	<b>Volume (packed, dm<sup>3</sup>)</b>	0.771375 dm <sup>3</sup>
<b>Size tool holder [internal square drive]</b>	9 x 12 mm	<b>Product no.</b>	96504002
<b>Height mm (h)</b>	55 mm	<b>Weight (gross, kg)</b>	0,540
<b>Length mm (L)</b>	255 mm	<b>Weight PAP (kg)</b>	0,000
<b>LF</b>	157,2 mm	<b>Weight PVC (kg)</b>	0,006
		<b>GTIN</b>	4018754311354
		<b>Country of origin AWR</b>	GERMANY
		<b>Region of origin</b>	Nordrhein-Westfalen
		<b>WEEE/ElektroG</b>	nicht ear-pflichtig
		<b>Customs tariff no.</b>	82041100
		<b>Packing standard</b>	1
		<b>Weight</b>	455 g

## Parts list.



91100546  
Plastic packaging

50184002  
Torque wrench service  
MANOSKOP® (N·m)

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
96501054	730R/2-1 Quick	Torque wrench MANOSKOP® 730R Quick 2-10N·m 1/4" L. 250mm	4018754339976
96504002	730R/2 QUICK	Torque wrench MANOSKOP® 730R Quick 4-20N·m 3/8" L. 255mm	4018754311354
96504004	730R/4 QUICK	Torque wrench MANOSKOP® 730R Quick 8-40N·m 3/8" L. 285mm	4018754311361
96504005	730R/5 QUICK	Torque wrench MANOSKOP® 730R Quick 6-50N·m 3/8" L. 380mm	4018754269488
96504010	730R/10 QUICK	Torque wrench MANOSKOP® 730R Quick 20-100N·m 1/2" L. 430mm	4018754269495

96504012	730R/12 QUICK	Torque wrench MANOSKOP® 730R Quick 25-130N·m 1/2" L. 475mm	4018754269501
96504020	730R/20 QUICK	Torque wrench MANOSKOP® 730R Quick 40-200N·m 1/2" L. 530mm	4018754269518
96504030	730R/30 QUICK	Torque wrench MANOSKOP® 730R Quick 60-300N·m 1/2" L. 590mm	4018754326006
96504040	730R/40 QUICK	Torque wrench MANOSKOP® 730R Quick 80-400N·m 3/4" L. 675mm	4018754269525
96504565	730RII/65 QUICK	Torque wrench MANOSKOP® 730R Quick 130-650N·m 3/4" L. 1125mm	4018754269563

## GTIN-Code.



## Images.

