

Ring ratchet insert adaptor 718

718

 Product no.
 58170217

 GTIN
 4018754348459

 Model
 718/17



Label.

Ring ratchet insert adaptor 17mm Tool holders14 x 18

Product highlights.









Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Drawing.





Technical Attributes.

| Number of teeth | 72 |
|---|------------|
| Working angle | 5 ° |
| Width mm (b) | 32.5 mm |
| Size square socket [inside square drive] | 14 x 18 mm |
| Height mm (h) | 10,6 mm |
| max. torque | 200 N·m |
| S | 52 mm |
| Spanner size 1 [mm] | 17 mm |

Logistics data.

| Depth mm (IFS) | 94 | |
|-----------------------|------------------------|--|
| Width mm (IFS) | 32 | |
| Height mm (IFS) | 24 | |
| Length (packed, mm) | 104 | |
| Width (packed, mm) | 44 | |
| Height (packed, mm) | 26 | |
| Volume (packed, dm3) | 0.118976 dm3 | |
| Product no. | 58170217 | |
| Weight (gross, kg) | 0,170 | |
| Weight PAP (kg) | 0,000 | |
| Weight PVC (kg) | 0,004 | |
| GTIN | 4018754348459 | |
| Country of origin AWR | CHINA | |
| Region of origin | Ausländischer Ursprung | |
| WEEE/ElektroG | nicht ear-pflichtig | |
| Customs tariff no. | 82042000 | |
| Packing standard | 1 | |
| Weight | 166 g | |
| | | |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|-----------------|---|---------------|
| 58170217 | 718/17 | Ring ratchet insert adaptor 17mm Tool holders14 x 18 | 4018754348459 |
| 58170219 | 718/19 | Ring ratchet insert adaptor 19mm Tool holders14 x 18 | 4018754348466 |
| 58170221 | 718/21 | Ring ratchet insert adaptor 21mm Tool holders14 x 18 | 4018754348473 |
| 58170222 | 718/22 | Ring ratchet insert adaptor 22mm Tool holders14 x 18 | 4018754348480 |
| 58170224 | 718/24 | Ring ratchet insert adaptor 24mm Tool holders14 x 18 | 4018754348497 |
| 58170227 | 718/27 | Ring ratchet insert adaptor 27mm Tool holders14 x 18 | 4018754348503 |

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal