



Combination spanner set OPEN BOX, metric

OPEN BOX 14



Product no. **96401007**
GTIN **4018754095964**
Model **OPEN BOX 14/10 KT**



Label.

Combination spanner set OPEN BOX 14/10 KT 8-19 10 pcs.

Features.

- Wrenches with metric, equal wrench sizes in roll-up pouch
- DIN 3113 Form A/ISO 7738 Form A
- jaw side straight, ring side 10° angled
- Sturdy, slim and lightweight intelligent construction
- High bending strength due to double T-profile
- STAHLWILLE round finish ensures a surface that is pleasant to the skin and has a good grip
- Extremely resilient, exceptionally durable
- drop forged, hardened and cooled in oil bath
- Chrome-Alloy-Steel, chrome plated
- Robust roll-up bag with hook-and-loop fastener made of polyester
- Mesh inserts allow a view of the inserted tool
- Safe protection of the tool with minimum space requirement
- Embroidered STAHLWILLE logo

Content:

SW 8; 10; 13; 16; 17; 18; 19; 22 mm

Advantages.

Made in Germany - Combination spanner set in carton, 10 pcs.-pcs, 8-19 mm, ring side 15° angled, DIN 3113 Form B / ISO 7738 Form B, .

Special manufacturing process makes thin-walled rings possible – perfect for screwdriving in places that are difficult to access.

The long force loading point requires less effort with constant torque.

The AS-Drive profile prevents edge damage caused by force being applied to the edges of the screw or nut.



Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inserts.

Technologies and features.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

Number of tools	10 pcs.
Range	8-19
DIN	DIN 3113 Form B / ISO 7738 Form B
Jaw angle	10 °
Model no.	14/10 KT

Logistics data.

Depth mm (IFS)	410
Width mm (IFS)	182
Height mm (IFS)	35
Length (packed, mm)	410
Width (packed, mm)	182
Height (packed, mm)	35
Volume (packed, dm ³)	2.6117 dm ³
Product no.	96401007
Weight (gross, kg)	1,235
Weight PAP (kg)	0,000
Weight PVC (kg)	0,020
GTIN	4018754095964
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	1235 g

Parts list.



40101919
Combination spanner
OPEN BOX



40101818
Combination spanner
OPEN BOX



40101717
Combination spanner
OPEN BOX



40101616
Combination spanner
OPEN BOX



40101414
Combination spanner
OPEN BOX



40101313
Combination spanner
OPEN BOX



40101212
Combination spanner
OPEN BOX



40101111
Combination spanner
OPEN BOX



40101010
Combination spanner
OPEN BOX



40100808
Combination spanner
OPEN BOX

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96401010	OPEN BOX 14/15N	Combination spanner set OPEN BOX 14/15N 10-30 15 pcs.	4018754122936
96401007	OPEN BOX 14/10 KT	Combination spanner set OPEN BOX 14/10 KT 8-19 10 pcs.	4018754095964

GTIN-Code.



4 018754 095964

Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal