



## Combination spanner OPEN BOX, metric

### OPEN BOX 16



Product no. **40095050**  
GTIN **4018754019120**  
Model **OPEN BOX 16 5**



#### Label.

Combination spanner OPEN BOX long Spanner size 5 mm L.95mm

#### Features.

- ISO 3318
- Chrome Alloy Steel, chrome plated

## Advantages.

High-quality combination spanner set Combination spanner OPEN BOX, metric , jaw side 15 ° angled, length 95 mm, ISO 3318, , 40095050.

The double-T profile gives the spanner outstanding bending strength.

Special manufacturing process makes thin-walled rings possible – perfect for screwdriving in places that are difficult to access.

The distinctive STAHLWILLE rounded finish gives the spanner a non-slip and pleasant feel for safe working, even with oil-smearred hands.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

#### Optimum power transmission.

Every spanner guarantees consistently excellent quality due to minimal manufacturing tolerances and highly reproducible precision. The jaws and ring always sit firmly on the screw, thus ensuring optimal power transmission.



PRODUCT IMAGE  
IN PROGRESS

#### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



**A solution for every situation.**

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inserts.



**Excellent workmanship.**

The spanner is made from high-quality forged Chrome Alloy Steel, making it extremely robust and durable, even during continuous use. It also has a corrosion-resistant chrome-plated finish.

**Technologies and features.**



**Double-T profile**

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



**Thin-walled rings**


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



**Offset Shaft Design**

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

**Technical Drawing.**



**Technical Attributes.**

a1 3 mm

**Logistics data.**

Depth mm (IFS) 93

<b>a2</b>	3,2 mm	<b>Width mm (IFS)</b>	14
<b>Width mm (b)</b>	14 mm	<b>Height mm (IFS)</b>	5
<b>d</b>	9,8 mm	<b>Length (packed, mm)</b>	100
<b>DIN</b>	ISO 3318	<b>Width (packed, mm)</b>	35
<b>Length mm (L)</b>	95 mm	<b>Height (packed, mm)</b>	15
<b>Jaw angle</b>	15 °	<b>Volume (packed, dm3)</b>	0.0525 dm3
<b>Spanner size 1 [mm]</b>	5 mm	<b>Product no.</b>	40095050
<b>Ring position</b>	15 °	<b>Weight (gross, kg)</b>	0,114
<b>Spanner size 2 [mm]</b>	5 mm	<b>Weight PAP (kg)</b>	0,000
		<b>Weight PVC (kg)</b>	0,003
		<b>GTIN</b>	4018754019120
		<b>Country of origin AWR</b>	GERMANY
		<b>Region of origin</b>	Nordrhein-Westfalen
		<b>WEEE/ElektroG</b>	nicht ear-pflichtig
		<b>Customs tariff no.</b>	82041100
		<b>Packing standard</b>	10
		<b>Weight</b>	11 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
40093232	OPEN BOX 16 3,2	Combination spanner OPEN BOX long Spanner size 3.2 mm L.75mm	4018754019083
40093535	OPEN BOX 16 3,5	Combination spanner OPEN BOX long Spanner size 3.5 mm L.75mm	4018754019090
40094040	OPEN BOX 16 4	Combination spanner OPEN BOX long Spanner size 4 mm L.85mm	4018754019106
40094545	OPEN BOX 16 4,5	Combination spanner OPEN BOX long Spanner size 4.5 mm L.85mm	4018754019113
40095050	OPEN BOX 16 5	Combination spanner OPEN BOX long Spanner size 5 mm L.95mm	4018754019120

## GTIN-Code.





**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal