



Double ring wrench OPEN RING, angled, inch, bi-hex

OPEN RING 24a



Product no. **41484048**
 GTIN **4018754022892**
 Model **OPEN RING 24a 3/4 x 1**



Label. Double ring wrench, angled Wrench size 3/4 x 1 " L.232mm

Technologies and features.



Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

Technical Drawing.



Technical Attributes.

a1	13 mm
a2	16 mm
Drive profile	bi-hex AS-Drive®
d1	33 mm
d2	40,2 mm
DIN	DIN 3118 / ISO 3318
Length mm (L)	232 mm
m1	15,8 mm
m2	19 mm
Ring position	10 °
Wrench width 1 [inch]	3/4 "
Wrench width s 2 [inch]	1 "

Logistics data.

Depth mm (IFS)	233
Width mm (IFS)	42
Height mm (IFS)	20
Length (packed, mm)	240
Width (packed, mm)	77
Height (packed, mm)	43
Volume (packed, dm3)	0.79464 dm3
Product no.	41484048
Weight (gross, kg)	0,995
Weight PAP (kg)	0,000
Weight PVC (kg)	0,014
GTIN	4018754022892
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	5
Weight	199 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
41483640	OPEN RING 24a 5/8 x 3/4	Double ring wrench, angled Wrench size 5/8 x 3/4 " L.218mm	4018754022885
41484048	OPEN RING 24a 3/4 x 1	Double ring wrench, angled Wrench size 3/4 x 1 " L.232mm	4018754022892

GTIN-Code.



