



## Torque wrench service/series MANOSKOP®

730D



Product no. **96501965**  
GTIN **4018754240074**  
Model **730DII/65**



### Label.

Torque wrench service/series MANOSKOP® 730D 65-650N·m 22 x 28 mm L. 892mm



## Product highlights.



### Ideal.

After clicking, the MANOSKOP® 730D indicates the torque actually applied. As a result, the user has the opportunity to optimise his/her working methods.



### Reader friendly.

The LCD display is easy to read and evaluates the fastener visually by means of coloured displays. All settings can be made quickly and easily using the keyboard, which uses only four keys.


## Technologies and features.



### 2-component handle

Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids and Skydrol. The arrow markings on the handle indicate the direction of operation.

## Technical Drawing.



## Technical Attributes.

|                                          |                        |
|------------------------------------------|------------------------|
| Measuring range N·m                      | 65-650 N·m             |
| Measuring range ft·lb                    | 48-480 ft·lb           |
| Measuring range in·lb                    | 580-5800 in·lb         |
| Setting display resolution N·m           | 1,0/0,1 N·m            |
| Setting display resolution ft·lb         | 1,0/0,1 ft·lb          |
| Setting display resolution in·lb         | 10/1,0 in·lb           |
| Battery type                             | Mignon (AA) 1,5V       |
| Width mm (b)                             | 30.6 mm                |
| DIN                                      | DIN EN ISO 6789-2:2017 |
| Weight with box                          | 7500 g                 |
| Size                                     | II/65                  |
| Size tool holder [internal square drive] | 22 x 28 mm             |
| Height mm (h)                            | 25,6 mm                |
| Length mm (L)                            | 892 mm                 |
| LF                                       | 889 mm                 |
| MA N·m                                   | 65 N·m                 |

## Logistics data.

|                                   |                       |
|-----------------------------------|-----------------------|
| Depth mm (IFS)                    | 1030                  |
| Width mm (IFS)                    | 140                   |
| Height mm (IFS)                   | 100                   |
| WEEE/ElektroG                     | Großgeräte B2C        |
| Length (packed, mm)               | 1030                  |
| Width (packed, mm)                | 140                   |
| Height (packed, mm)               | 100                   |
| Volume (packed, dm <sup>3</sup> ) | 14.42 dm <sup>3</sup> |
| Product no.                       | 96501965              |
| Weight (gross, kg)                | 7,500                 |
| Weight PAP (kg)                   | 0,400                 |
| Weight PVC (kg)                   | 0,000                 |
| GTIN                              | 4018754240074         |
| Country of origin AWR             | GERMANY               |
| Region of origin                  | Nordrhein-Westfalen   |
| Customs tariff no.                | 82041100              |
| Packing standard                  | 1                     |
| Weight                            | 3224 g                |

Nominal value N·m 650 N·m  
SF 55 mm

## Variants.

| Product no. | Model no. (ERP) | Description                                                                        | GTIN          |
|-------------|-----------------|------------------------------------------------------------------------------------|---------------|
| 96501710    | 730D/10         | Torque wrench service/series<br>MANOSKOP® 730D 10-100N·m 9 x 12<br>mm L. 467mm     | 4018754180318 |
| 96501720    | 730D/20         | Torque wrench service/series<br>MANOSKOP® 730D 20-200N·m 14 x 18<br>mm L. 548mm    | 4018754180325 |
| 96501740    | 730D/40         | Torque wrench service/series<br>MANOSKOP® 730D 40-400N·m 14 x 18<br>mm L. 688mm    | 4018754180332 |
| 96501765    | 730D/65         | Torque wrench service/series<br>MANOSKOP® 730D 65-650N·m 14 x 18<br>mm L. 870mm    | 4018754187621 |
| 96501965    | 730DII/65       | Torque wrench service/series<br>MANOSKOP® 730D 65-650N·m 22 x 28<br>mm L. 892mm    | 4018754240074 |
| 96502080    | 730D/80         | Torque wrench service/series<br>MANOSKOP® 730D 80-800N·m 22 x 28<br>mm L. 1160mm   | 4018754240098 |
| 96502100    | 730D/100        | Torque wrench service/series<br>MANOSKOP® 730D 100-1000N·m 22 x<br>28 mm L. 1344mm | 4018754240104 |

## GTIN-Code.

