


## IMPACT wheel nut socket 1/2"

2309K



Product no. **23091017**  
GTIN **4018754141852**  
Model **2309 K 17**



### Label.

IMPACT wheel nut socket 1/2 " 17mm L.86mm

### Features.

- with hex
- 1/2" internal square drive
- protruding plastic sleeve protects alloy wheels from accidental damage
- Chrome Alloy Steel, gunmetal finish
- DIN 3129 / ISO 1711-2

## Product highlights.



### Powerful and resilient.

The sockets are made from high-quality Chrome Alloy Steel. They are hardened in oil to prevent stress and distortion.



PRODUCT IMAGE  
IN PROGRESS

### Gentle wheel changing.

The special IMPACT sockets with plastic sleeves enable gentle wheel changes, e.g. on sensitive alloy rims.



### Optimized functionality.

All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.



### High fitting accuracy.

The high precision fit, achieved through tight tolerances, ensures optimal, backlash-free transmission of forces to the socket.

## Technical Attributes.

Drive profile	hex
Internal square drive (inch)	1/2 "
d	27 mm
Length mm (L)	86 mm
Width across flats [mm]	17 mm

## Logistics data.

Depth mm (IFS)	90
Width mm (IFS)	31
Height mm (IFS)	31
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	90
Width (packed, mm)	31
Height (packed, mm)	31
Volume (packed, dm3)	0.08649 dm3
Product no.	23091017
Weight (gross, kg)	0,235
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003
GTIN	4018754141852
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	1
Weight	235 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
23091017	2309 K 17	IMPACT wheel nut socket 1/2 " 17mm L.86mm	4018754141852
23091019	2309 K 19	IMPACT wheel nut socket 1/2 " 19mm L.86mm	4018754141869
23091221	2309 K 21	IMPACT wheel nut socket 1/2 " 21mm L.86mm	4018754265794

## GTIN-Code.

