



Combination wrench set OPEN BOX, inch

TCS 13217 WT OPEN BOX 13a/22

Product no. 96830125
GTIN 4018754248803
Model TCS 13217 WT OPEN BOX 13a/
22



Label.

Combination wrench set TCS 13217 WT OPEN BOX 13a/22 3/16-1.1/16 22

Product highlights.



Non-slip surface.

STHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inserts.



Order and check.

The set is securely organized in a STHLWILLE TCS foam inserts. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inserts serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular insert system protects and organizes the tools in tool boxes, workshop trolleys and workshop benches. Two-color foam inlays make checking the completeness of the tools quick and easy.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



Double-T profile

Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

Number of tools	22
Range	3/16-1.1/16
Width mm (b)	460 mm
Height mm (h)	60 mm
Length mm (L)	250 mm

Logistics data.

Depth mm (IFS)	460
Width mm (IFS)	250
Height mm (IFS)	58
Length (packed, mm)	460
Width (packed, mm)	250
Height (packed, mm)	58
Volume (packed, dm3)	6.67 dm3
Product no.	96830125
Weight (gross, kg)	2,440
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754248803
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	2440 g

Parts list.



40485050
Combination wrench



40484848
Combination wrench



40484646
Combination wrench



40484444
Combination wrench



40484242
Combination wrench



40484141
Combination wrench



40484040
Combination wrench



40483838
Combination wrench



40483636
Combination wrench



40483535
Combination wrench



40483434
Combination wrench



40483232
Combination wrench



40482828
Combination wrench



40482424
Combination wrench



40482222
Combination wrench



40482020
Combination wrench



40481818
Combination wrench



40481616
Combination wrench



40481515
Combination wrench



40481414
Combination wrench



40481313
Combination wrench



40481212
Combination wrench

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96830125	TCS 13217 WT OPEN BOX 13a/22	Combination wrench set TCS 13217 WT OPEN BOX 13a/22 3/16-1.1/16 22	4018754248803

GTIN-Code.



