



OPEN RATCH 17a



41474242

GTIN

4018754331581

Model

OPEN RATCH 17a 13/16 15°





Label.

Combination ratcheting wrench Wrench size 13/16 " L.272mm

Product highlights.



Integrated ratchet.

Our combination ratcheting wrenches have an integrated fine-toothed ratchet. You do not need to change your grip or remove and reattach the tool multiple times. The bolt can be tightened quickly and efficiently without stopping, as when using a ratchet.



Excellent workmanship.

Our wrenches are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. The also have a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE wrenches have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



For all cases.

Our combination ratcheting wrenches are available in different versions (metric, imperial, angled, flat) and as sets in roll-up tool bags or TCS inserts.

Technologies and features.



Double-T profile


Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

| Number of teeth | 72 |
|-------------------------|---------|
| Working angle | 5 ° |
| Width mm (b) | 43 mm |
| d | 38 mm |
| Length mm (L) | 272 mm |
| Jaw angle | 15° |
| Ring position | 15° |
| Wrench width 1 [inch] | 13/16 " |
| Wrench width s 2 [inch] | 13/16 " |

Logistics data.

| Depth mm (IFS) | 272 | |
|-----------------------|---------------------------|--|
| Width mm (IFS) | 43 | |
| Height mm (IFS) | 20 | |
| Length (packed, mm) | 272 | |
| Width (packed, mm) | 43 | |
| Height (packed, mm) | 20 | |
| Volume (packed, dm3) | 0.23392 dm3 | |
| Product no. | 41474242 | |
| Weight (gross, kg) | 0,298 | |
| Weight PAP (kg) | 0,000 | |
| Weight PVC (kg) | 0,008 | |
| GTIN | 4018754331581 | |
| Country of origin AWR | TAIWAN, PROVINCE OF CHINA | |
| Region of origin | Ausländischer Ursprung | |
| WEEE/ElektroG | nicht ear-pflichtig | |
| Customs tariff no. | 82041100 | |

288 g

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|-----------------------------|---|---------------|
| 41471616 | OPEN RATCH 17a 1/4 15° | Combination ratcheting wrench Wrench size 1/4 " L.134mm | 4018754331499 |
| 41472020 | OPEN RATCH 17a 5/16 15° | Combination ratcheting wrench Wrench size 5/16 " L.141mm | 4018754331505 |
| 41472424 | OPEN RATCH 17a 3/8 15° | Combination ratcheting wrench Wrench size 3/8 " L.156mm | 4018754331512 |
| 41472828 | OPEN RATCH 17a 7/16 15° | Combination ratcheting wrench Wrench size 7/16 " L.160mm | 4018754331529 |
| 41473232 | OPEN RATCH 17a 1/2 15° | Combination ratcheting wrench Wrench size 1/2 " L.180mm | 4018754331536 |
| 41473434 | OPEN RATCH 17a 9/16 15° | Combination ratcheting wrench Wrench size 9/16 " L.190mm | 4018754331543 |
| 41473636 | OPEN RATCH 17a 5/8 15° | Combination ratcheting wrench Wrench size 5/8 " L.210mm | 4018754331550 |
| 41473838 | OPEN RATCH 17a 11/16 15° | Combination ratcheting wrench Wrench size 11/16 " L.226mm | 4018754331567 |
| 41474040 | OPEN RATCH 17a 3/4 15° | Combination ratcheting wrench Wrench size 3/4 " L.252mm | 4018754331574 |
| 41474242 | OPEN RATCH 17a 13/16 15° | Combination ratcheting wrench Wrench size 13/16 " L.272mm | 4018754331581 |
| 41474444 | OPEN RATCH 17a 7/8 15° | Combination ratcheting wrench Wrench size 7/8 " L.281mm | 4018754331598 |
| 41474848 | OPEN RATCH 17a 1 | Combination ratcheting wrench Wrench size 1 " L.295mm | 4018754331604 |

GTIN-Code.



Images.

