



## Combination wrench set OPEN BOX, metric

**TCS 13217 WT OPEN BOX 13/18 6-24**

Product no. **96830121**  
GTIN **4018754248766**  
Model **TCS 13217 WT OPEN BOX  
13/18 6-24mm**



Label.

Combination wrench set TCS 13217 WT OPEN BOX 13/18 6-24mm 6-24 18

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Non-slip surface.

STAHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



### A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inserts.



PRODUCT IMAGE  
IN PROGRESS

### Order and check.

The set is securely organized in a STAHLWILLE TCS foam inserts. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inserts serves as a signal surface to enable quick checking of the set's completeness.

## Technologies and features.



### Tool Control System

The intelligent modular insert system protects and organizes the tools in tool boxes, workshop trolleys and workshop benches. Two-color foam inlays make checking the completeness of the tools quick and easy.



### Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



### Double-T profile

Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



### Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

## Technical Drawing.



# Technical Attributes.

Number of tools	18
Range	6-24
Width mm (b)	460 mm
DIN	DIN 3113 Form A / ISO 7738 Form A
Height mm (h)	60 mm
Length mm (L)	250 mm

# Logistics data.

Depth mm (IFS)	460
Width mm (IFS)	250
Height mm (IFS)	30
Length (packed, mm)	460
Width (packed, mm)	250
Height (packed, mm)	30
Volume (packed, dm3)	3.45 dm3
Product no.	96830121
Weight (gross, kg)	1,940
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754248766
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	1940 g

# Parts list.



40082424  
Combination wrench  
OPEN BOX long



40082222  
Combination wrench  
OPEN BOX long



40082121  
Combination wrench  
OPEN BOX long



40082020  
Combination wrench  
OPEN BOX long



40081919  
Combination wrench  
OPEN BOX long



40081818  
Combination wrench  
OPEN BOX long



40081717  
Combination wrench  
OPEN BOX long



40081616  
Combination wrench  
OPEN BOX long



40081515  
Combination wrench  
OPEN BOX long



40081414  
Combination wrench  
OPEN BOX long



40081313  
Combination wrench  
OPEN BOX long



40081212  
Combination wrench  
OPEN BOX long



40081111  
Combination wrench  
OPEN BOX long



40081010  
Combination wrench  
OPEN BOX long



40080909  
Combination wrench  
OPEN BOX long



40080808  
Combination wrench  
OPEN BOX long



40080707  
Combination wrench  
OPEN BOX long



40080606  
Combination wrench  
OPEN BOX long

**Variants.**

Product no.	Model no. (ERP)	Description	GTIN
96830121	TCS 13217 WT OPEN BOX 13/18 6-24mm	Combination wrench set TCS 13217 WT OPEN BOX 13/18 6-24mm 6-24 18	4018754248766

**GTIN-Code.**



## Images.

