

## Combination spanners i.TCS inlay

### TCS 13217 WT OPEN BOX 13a/22



Product no. **96830125**  
GTIN **4018754248803**  
Model **TCS 13217 WT OPEN BOX 13a/  
22**



#### Label.

Combination spanners i.TCS inlay TCS 13217 WT OPEN BOX 13a/22 3/16-1.1/16 22 pcs.

#### Features.

- For the drawers of tool trolley No. 13217
- 460 x 250 x 60 mm
- 22-piece set

## Advantages.

Made in Germany - Combination spanners i.TCS inlay in TCS inlay, 22 pcs.-pcs, 3/16-1.1/16 mm, ring side 15° angled, ,

## Product highlights.



#### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



#### A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inserts.



### Order and check.

The set is securely organised in a STAHLWILLE TCS foam inserts. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inserts serves as a signal surface to enable quick checking of the set's completeness.

## Technologies and features.



### Tool Control System

The intelligent modular insert system protects and organises the tools in tool boxes, workshop trolleys and workshop benches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



### Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



### Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

## Technical Drawing.



## Technical Attributes.

|                 |             |
|-----------------|-------------|
| Number of tools | 22 pcs.     |
| Range           | 3/16-1.1/16 |
| Width mm (b)    | 460 mm      |
| Height mm (h)   | 60 mm       |
| Length mm (L)   | 250 mm      |

## Logistics data.

|                                   |                      |
|-----------------------------------|----------------------|
| Depth mm (IFS)                    | 460                  |
| Width mm (IFS)                    | 250                  |
| Height mm (IFS)                   | 58                   |
| Length (packed, mm)               | 460                  |
| Width (packed, mm)                | 250                  |
| Height (packed, mm)               | 58                   |
| Volume (packed, dm <sup>3</sup> ) | 6.67 dm <sup>3</sup> |
| Product no.                       | 96830125             |
| Weight (gross, kg)                | 2,440                |
| Weight PAP (kg)                   | 0,000                |
| Weight PVC (kg)                   | 0,004                |
| GTIN                              | 4018754248803        |
| Country of origin AWR             | GERMANY              |
| Region of origin                  | Nordrhein-Westfalen  |
| WEEE/ElektroG                     | nicht ear-pflichtig  |
| Customs tariff no.                | 82041100             |
| Packing standard                  | 1                    |
| Weight                            | 2440 g               |

## Parts list.



40485050  
Combination spanner  
OPEN BOX long



40484848  
Combination spanner  
OPEN BOX long



40484646  
Combination spanner  
OPEN BOX long



40484444  
Combination spanner  
OPEN BOX long



40484242  
Combination spanner  
OPEN BOX long



40484141  
Combination spanner  
OPEN BOX long



40484040  
Combination spanner  
OPEN BOX long



40483838  
Combination spanner  
OPEN BOX long



40483636  
Combination spanner  
OPEN BOX long



40483535  
Combination spanner  
OPEN BOX long



40483434  
Combination spanner  
OPEN BOX long



40483232  
Combination spanner  
OPEN BOX long



40482828  
Combination spanner  
OPEN BOX long



40482424  
Combination spanner  
OPEN BOX long



40482222  
Combination spanner  
OPEN BOX long



40482020  
Combination spanner  
OPEN BOX long



40481818  
Combination spanner  
OPEN BOX long



40481616  
Combination spanner  
OPEN BOX long



40481515  
Combination spanner  
OPEN BOX long



40481414  
Combination spanner  
OPEN BOX long



40481313  
Combination spanner  
OPEN BOX long



40481212  
Combination spanner  
OPEN BOX long

## Variants.

| Product no. | Model no. (ERP)                 | Description   | GTIN          |
|-------------|---------------------------------|---|---------------|
| 96830125    | TCS 13217 WT<br>OPEN BOX 13a/22 | Combination spanners i.TCS inlay TCS<br>13217 WT OPEN BOX 13a/22<br>3/16-1.1/16 22 pcs. | 4018754248803 |

## GTIN-Code.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal