



## Combination spanner set OPEN BOX, inch

### OPEN BOX 13a

Product no. **96404812**  
GTIN **4018754101979**  
Model **OPEN BOX 13a/10 KT**



#### Label.

Combination spanner set OPEN BOX 13a/10 KT 1/4-3/4 10 pcs.

#### Features.

- Wrenches with metric, equal wrench sizes in roll-up pouch
- DIN 3113 Form A/ISO 7738 Form A
- jaw side straight, ring side 15° angled
- Sturdy, slim and lightweight intelligent construction
- High bending strength due to double T-profile
- STAHLWILLE round finish ensures a surface that is pleasant to the skin and has a good grip
- Extremely resilient, exceptionally durable
- drop forged, hardened and cooled in oil bath
- Chrome-Alloy-Steel, chrome plated
- Robust roll-up bag with hook-and-loop fastener made of polyester
- Mesh inserts allow a view of the inserted tool
- Safe protection of the tool with minimum space requirement
- Embroidered STAHLWILLE logo

#### Content:

SW 8; 10; 13; 16; 17; 18; 19; 22 mm

## Advantages.

Made in Germany - Combination spanner set in a sturdy roll-up case, 10 pcs.-pce., 1/4-3/4 mm, ring side 15° angled, DIN 3113 Form A / ISO 7738 Form A,



## Product highlights.



### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



### A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inserts.

## Technologies and features.



### Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

## Technical Drawing.



## Technical Attributes.

<b>Number of tools</b>	10 pcs.
<b>Range</b>	1/4-3/4
<b>DIN</b>	DIN 3113 Form A / ISO 7738 Form A
<b>Jaw angle</b>	15 °
<b>Model no.</b>	13a/10KT

## Logistics data.

<b>Depth mm (IFS)</b>	356
<b>Width mm (IFS)</b>	176
<b>Height mm (IFS)</b>	28
<b>Length (packed, mm)</b>	370
<b>Width (packed, mm)</b>	185
<b>Height (packed, mm)</b>	35
<b>Volume (packed, dm3)</b>	2.39575 dm3
<b>Product no.</b>	96404812
<b>Weight (gross, kg)</b>	0,750
<b>Weight PAP (kg)</b>	0,250
<b>Weight PVC (kg)</b>	0,100
<b>GTIN</b>	4018754101979
<b>Country of origin AWR</b>	GERMANY
<b>Region of origin</b>	Nordrhein-Westfalen
<b>WEEE/ElektroG</b>	nicht ear-pflichtig
<b>Customs tariff no.</b>	82041100
<b>Packing standard</b>	1
<b>Weight</b>	750 g

## Parts list.



83828987  
Foam insert



40484040  
Combination spanner  
OPEN BOX long



40483838  
Combination spanner  
OPEN BOX long



40483636  
Combination spanner  
OPEN BOX long



40483434  
Combination spanner  
OPEN BOX long



40483232  
Combination spanner  
OPEN BOX long



40482828  
Combination spanner  
OPEN BOX long



40482424  
Combination spanner  
OPEN BOX long



40482222  
Combination spanner  
OPEN BOX long

40482020  
Combination spanner  
OPEN BOX long

40481616  
Combination spanner  
OPEN BOX long

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
96404803	OPEN BOX 13a/8	Combination spanner set OPEN BOX 13a/8 7/16-7/8 8 pcs.	4018754080861
96404812	OPEN BOX 13a/10 KT	Combination spanner set OPEN BOX 13a/10 KT 1/4-3/4 10 pcs.	4018754101979
96404804	OPEN BOX 13a/20	Combination spanner set OPEN BOX 13a/20 1/4-1.1/4 20 pcs.	4018754080878

## GTIN-Code.



## Images.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal