# STAHLWILLE()®



# Double open-ended wrench set MOTOR, inch

#### TCS MOTOR 10a/9

Product no. 96838779

GTIN 4018754191284
Model MOTOR TCS 10a/9







Label.

Double open-ended wrench set MOTOR TCS 10a/9 1/4x5/16-1.1/8x1.5/16 9

### Product highlights.



#### Order and check.

The set is securely organized in a STAHLWILLE TCS foam inserts. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inserts serves as a signal surface to enable quick checking of the set's completeness.

## Technologies and features.



### **Tool Control System**

The intelligent modular insert system protects and organizes the tools in tool boxes, workshop trolleys and workshop benches. Two-color foam inlays make checking the completeness of the tools quick and easy.



#### Double-T profile


Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



#### Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

# Technical Drawing.





# **Technical Attributes.**

| Number of tools | 9                    |  |
|-----------------|----------------------|--|
| Range           | 1/4x5/16-1.1/8x1.5/1 |  |
| Width mm (b)    | 175 mm               |  |
| DIN             | DIN 3110, ISO 10102  |  |
| Height mm (h)   | 70 mm                |  |
| Length mm (L)   | 350 mm               |  |
| Drawer dividers | 1/3                  |  |

# Logistics data.

6

| Depth mm (IFS)        | 350                 |  |
|-----------------------|---------------------|--|
| Width mm (IFS)        | 175                 |  |
| Height mm (IFS)       | 70                  |  |
| Length (packed, mm)   | 365                 |  |
| Width (packed, mm)    | 185                 |  |
| Height (packed, mm)   | 80                  |  |
| Volume (packed, dm3)  | 5.402 dm3           |  |
| Product no.           | 96838779            |  |
| Weight (gross, kg)    | 1,870               |  |
| Weight PAP (kg)       | 0,138               |  |
| Weight PVC (kg)       | 0,000               |  |
| GTIN                  | 4018754191284       |  |
| Country of origin AWR | GERMANY             |  |
| Region of origin      | Nordrhein-Westfalen |  |
| WEEE/ElektroG         | nicht ear-pflichtig |  |
| Customs tariff no.    | 82041100            |  |
| Packing standard      | 1                   |  |
| Weight 1555 g         |                     |  |

### Parts list.









40435258 Double open-ended wrench

40434648 Double open-ended wrench

40434142 Double open-ended wrench

40434044 Double open-ended wrench









40433640 Double open-ended wrench

40433538 Double open-ended wrench

40433234 Double open-ended wrench

40432428 Double open-ended wrench





40431620 Double open-ended wrench

83820618 Safety inserts

### Variants.

| Product no. | Model no. (ERP) | Description                                                          | GTIN          |
|-------------|-----------------|----------------------------------------------------------------------|---------------|
| 96838779    | MOTOR TCS 10a/9 | Double open-ended wrench set MOTOR TCS 10a/9 1/4x5/16-1.1/8x1.5/16 9 | 4018754191284 |

### GTIN-Code.

