



Ring ratchet insert adaptor 718

718



Product no. 58170222
GTIN 4018754348480
Model 718/22



Label.

Ring ratchet insert adaptor 22mm Tool holders 14 x 18

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



PRODUCT IMAGE
IN PROGRESS

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



PRODUCT IMAGE
IN PROGRESS

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.



PRODUCT IMAGE
IN PROGRESS

Resistance to transverse forces.

The high level of accuracy is achieved by flat transducers and a special technology for immediate data processing directly in the transducer. Thanks to an integrated measurement amplifier, the testing device is resistant to bending moments and transverse forces.


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Drawing.



Technical Attributes.

Number of teeth	72
Working angle	5 °
Width mm (b)	42 mm
Size square socket [inside square drive]	14 x 18 mm
Height mm (h)	13,8 mm
max. torque	360 N·m
S	52 mm
Spanner size 1 [mm]	22 mm

Logistics data.

Depth mm (IFS)	98
Width mm (IFS)	42
Height mm (IFS)	24
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	104
Width (packed, mm)	56
Height (packed, mm)	26
Volume (packed, dm ³)	0.151424 dm ³
Product no.	58170222
Weight (gross, kg)	0,220
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754348480
Country of origin AWR	CHINA
Region of origin	Ausländischer Ursprung
Customs tariff no.	82042000
Packing standard	1
Weight	216 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
58170217	718/17	Ring ratchet insert adaptor 17mm Tool holders14 x 18	4018754348459
58170219	718/19	Ring ratchet insert adaptor 19mm Tool holders14 x 18	4018754348466
58170221	718/21	Ring ratchet insert adaptor 21mm Tool holders14 x 18	4018754348473
58170222	718/22	Ring ratchet insert adaptor 22mm Tool holders14 x 18	4018754348480
58170224	718/24	Ring ratchet insert adaptor 24mm Tool holders14 x 18	4018754348497
58170227	718/27	Ring ratchet insert adaptor 27mm Tool holders14 x 18	4018754348503

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal