

Combination ratcheting spanner OPEN RATCH, metric, double hex.

OPEN RATCH 17F



| | |
|-------------|-------------------------|
| Product no. | 40170808 |
| GTIN | 4018754281862 |
| Model | OPEN RATCH 17F 8 |



Label.

Combination ratcheting spanner Spanner size 8 mm L.145mm

Features.

- **metric**spanner sizes
- flat design
- jaw position 15°
- **bi-hex ring**
- integrated ratchet with 72 teeth, working angle 5°
- reinforced connection between jaw and shaft
- change direction by flipping the spanner over
- durable, slim and lightweight design
- high bending strength due to double T-profile
- STAHLWILLE rounded finish provides a non-slip, comfortable feel
- drop-forged, hardened and cooled in oil bath
- chrome alloy steel, chrome plated

Advantages.

Premium quality metric combination ratcheting spanner.

The integrated 72-sprocket ratchet provides a working angle of only 5° – facilitating efficient working even in confined spaces.

The flat design facilitates working in tight spaces.

Easy direction change by simply flipping the spanner over.

The distinctive STAHLWILLE rounded finish gives the combination ratcheting spanner a non-slip and comfortable feel for safe working, even with oily hands.



Product highlights.



Integrated ratchet.

Our combination ratcheting spanners have an integrated fine-toothed ratchet. You do not need to change your grip or remove and reattach the tool multiple times. The bolt can be tightened quickly and efficiently without stopping, as when using a ratchet.



For tight installation spaces.

The flat design of the combination ratcheting spanner makes it easier to work in tight spaces.



Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



A solution for every situation.

Our combination ratcheting spanners are available in different versions (metric, imperial, angled, flat) and as sets in tool rolls or TCS inserts.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

| | |
|---------------------|---------|
| Number of teeth | 72 |
| Working angle | 5 ° |
| Width mm (b) | 15 mm |
| d | 18,0 mm |
| Length mm (L) | 145 mm |
| Jaw angle | 15 ° |
| Spanner size 1 [mm] | 8 mm |
| Spanner size 2 [mm] | 8 mm |

Logistics data.

| | |
|-----------------------------------|---------------------------|
| Depth mm (IFS) | 145 |
| Width mm (IFS) | 15 |
| Height mm (IFS) | 10 |
| Length (packed, mm) | 240 |
| Width (packed, mm) | 100 |
| Height (packed, mm) | 20 |
| Volume (packed, dm ³) | 0.48 dm ³ |
| Product no. | 40170808 |
| Weight (gross, kg) | 0,040 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754281862 |
| Country of origin AWR | TAIWAN, PROVINCE OF CHINA |
| Region of origin | Ausländischer Ursprung |
| WEEE/ElektroG | nicht ear-pflichtig |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 38 g |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|----------------------|--|---------------|
| 40170808 | OPEN RATCH 17F 8 | Combination ratcheting spanner Spanner size 8 mm L.145mm | 4018754281862 |
| 40170909 | OPEN RATCH 17F 9 | Combination ratcheting spanner Spanner size 9 mm L.150mm | 4018754281879 |
| 40171010 | OPEN RATCH 17F 10 | Combination ratcheting spanner Spanner size 10 mm L.160mm | 4018754281886 |
| 40171111 | OPEN RATCH 17F 11 | Combination ratcheting spanner Spanner size 11 mm L.165mm | 4018754281893 |
| 40171212 | OPEN RATCH 17F 12 | Combination ratcheting spanner Spanner size 12 mm L.170mm | 4018754281909 |
| 40171313 | OPEN RATCH 17F 13 | Combination ratcheting spanner Spanner size 13 mm L.180mm | 4018754281916 |
| 40171414 | OPEN RATCH 17F 14 | Combination ratcheting spanner Spanner size 14 mm L.185mm | 4018754281923 |
| 40171515 | OPEN RATCH 17F 15 | Combination ratcheting spanner Spanner size 15 mm L.200mm | 4018754281930 |
| 40171616 | OPEN RATCH 17F 16 | Combination ratcheting spanner Spanner size 16 mm L.225mm | 4018754281947 |
| 40171717 | OPEN RATCH 17F 17 | Combination ratcheting spanner Spanner size 17 mm L.230mm | 4018754281954 |
| 40171818 | OPEN RATCH 17F 18 | Combination ratcheting spanner Spanner size 18 mm L.240mm | 4018754281961 |
| 40171919 | OPEN RATCH 17F 19 | Combination ratcheting spanner Spanner size 19 mm L.255mm | 4018754281978 |
| 40172121 | OPEN RATCH 17F 21 | Combination ratcheting spanner Spanner size 21 mm L.275mm | 4018754323104 |
| 40172222 | OPEN RATCH 17F 22 | Combination ratcheting spanner Spanner size 22 mm L.285mm | 4018754323111 |
| 40172424 | OPEN RATCH 17F 24 | Combination ratcheting spanner Spanner size 24 mm L.295mm | 4018754323128 |

GTIN-Code.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal