## STAHLWILLE()®





# Combination spanner set OPEN BOX, metric

#### **OPEN BOX 16/5**

Product no. **96400902** 

GTIN 4018754080694 Model **OPEN BOX 16/5** 







Label.

Combination spanner set OPEN BOX 16/5 3,2-5 5 pcs.

Features.

· in bag made of extremely tough textile with hook-and-loop fastener

### Advantages.

Made in Germany - Combination spanner set in sturdy roll-up case, 5 pcs.-pce., 3,2-5 mm, ring side  $15^{\circ}$  angled, DIN 3113 Form B / ISO 7738 Form B, .

The practical textile case provides a well-organised storage solution.

The compact design makes it ideal for use in precision mechanics, model making or for screwdriving work on bicycles.

### Product highlights.



#### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



#### A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inserts.



#### Store in textile bag.

The set comes in a handy textile bag that makes it easy to carry with you anywhere while also saving space. The bag has transparent mesh inserts that allow you to quickly see whether the tool set is complete.

### Technologies and features.



#### Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



#### Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



#### Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



#### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

### Technical Drawing.



### **Technical Attributes.**

 Number of tools
 5 pcs.

 Range
 3,2-5

 DIN
 DIN 3113 Form B / ISO 7738 Form B

 Jaw angle
 15 °

 Model no.
 16/5

### Logistics data.

Depth mm (IFS) 106
Width mm (IFS) 60
Height mm (IFS) 4
Length (packed, mm) 115
Width (packed, mm) 65
Height (packed, mm) 25

 Volume (packed, dm3)
 0.186875 dm3

 Product no.
 96400902

 Weight (gross, kg)
 0,060

 Weight PAP (kg)
 0,000

 Weight PVC (kg)
 0,005

**GTIN** 4018754080694

Country of origin AWR GERMANY

Region of origin Nordrhein-Westfalen
WEEE/ElektroG nicht ear-pflichtig

Customs tariff no. 82041100

Packing standard 1
Weight 46 g

#### Parts list.









91101027 Bag 40095050 Combination spanner OPEN BOX long 40094545 Combination spanner OPEN BOX long 40094040 Combination spanner OPEN BOX long





40093535 Combination spanner OPEN BOX long 40093232 Combination spanner OPEN BOX long

### Variants.

Р	Product no.	Model no. (ERP)	Description	GTIN
9	6400902	OPEN BOX 16/5	Combination spanner set OPEN BOX 16/5 3,2-5 5 pcs.	4018754080694

### **GTIN-Code.**

