



**Double ring wrench set
StahlwilleSTABIL®, metric**

StahlwilleSTABIL® 20

Product no. **96410408**
GTIN **4018754122943**
Model **StahlwilleSTABIL 20/7N**



Label. Double ring wrench set StahlwilleSTABIL 20/7N 6x7-18x19 7

Technologies and features.



Double-T profile


Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

Technical Drawing.



Technical Attributes.

Number of tools	7
Range	6x7-18x19
Model no.	20/7N

Logistics data.

Depth mm (IFS)	286
Width mm (IFS)	62
Height mm (IFS)	42
Length (packed, mm)	286
Width (packed, mm)	62
Height (packed, mm)	42
Volume (packed, dm3)	0.744744 dm3
Product no.	96410408
Weight (gross, kg)	0,930
Weight PAP (kg)	0,054
Weight PVC (kg)	0,000
GTIN	4018754122943
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	930 g

Parts list.



41041819
Double ring wrench



41041617
Double ring wrench



41041415
Double ring wrench



41041213
Double ring wrench



41041011
Double ring wrench



41040809
Double ring wrench



41040607
Double ring wrench

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96410408	StahlwilleSTABIL 20/7N	Double ring wrench set StahlwilleSTABIL 20/7N 6x7-18x19 7	4018754122943
96410405	StahlwilleSTABIL 20/8	Double ring wrench set StahlwilleSTABIL 20/8 6x7-20x22 8	4018754080977
96410409	StahlwilleSTABIL 20/9	Double ring wrench set StahlwilleSTABIL 20/9 6x7-21x24 9	4018754122950
96410407	StahlwilleSTABIL 20/10	Double ring wrench set StahlwilleSTABIL 20/10 6x7-30x32 10	4018754080991
96410406	StahlwilleSTABIL 20/12	Double ring wrench set StahlwilleSTABIL 20/12 6x7-30x32 12	4018754080984

GTIN-Code.

