



Combination spanner set OPEN BOX, inch

OPEN BOX 13a

Product no. **96404804**
GTIN **4018754080878**
Model **OPEN BOX 13a/20**



Label.

Combination spanner set OPEN BOX 13a/20 1/4-1.1/4 20 pcs.

Features.

- Wrenches with metric, equal wrench sizes in roll-up pouch
- DIN 3113 Form A/ISO 7738 Form A
- jaw side straight, ring side 15° angled
- Sturdy, slim and lightweight intelligent construction
- High bending strength due to double T-profile
- STAHLWILLE round finish ensures a surface that is pleasant to the skin and has a good grip
- Extremely resilient, exceptionally durable
- drop forged, hardened and cooled in oil bath
- Chrome-Alloy-Steel, chrome plated
- Robust roll-up bag with hook-and-loop fastener made of polyester
- Mesh inserts allow a view of the inserted tool
- Safe protection of the tool with minimum space requirement
- Embroidered STAHLWILLE logo

Content:

SW 8; 10; 13; 16; 17; 18; 19; 22 mm

Advantages.

Made in Germany - Combination spanner set in a sturdy roll-up case, 20 pcs.-pce., 1/4-1.1/4 mm, ring side 15° angled, DIN 3113 Form A / ISO 7738 Form A,



Product highlights.



Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inserts.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

Number of tools	20 pcs.
Range	1/4-1.1/4
DIN	DIN 3113 Form A / ISO 7738 Form A
Jaw angle	15 °
Model no.	13a/20

Logistics data.

Depth mm (IFS)	380
Width mm (IFS)	65
Height mm (IFS)	100
Length (packed, mm)	380
Width (packed, mm)	65
Height (packed, mm)	100
Volume (packed, dm3)	2.47 dm3
Product no.	96404804
Weight (gross, kg)	3,180
Weight PAP (kg)	0,124
Weight PVC (kg)	0,000
GTIN	4018754080878
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	3180 g

Parts list.



40485656
Combination spanner
OPEN BOX long



40485252
Combination spanner
OPEN BOX long



40485050
Combination spanner
OPEN BOX long



40484848
Combination spanner
OPEN BOX long



40484646
Combination spanner
OPEN BOX long



40484444
Combination spanner
OPEN BOX long



40484242
Combination spanner
OPEN BOX long



40484141
Combination spanner
OPEN BOX long



40484040
Combination spanner
OPEN BOX long



40483838
Combination spanner
OPEN BOX long



40483636
Combination spanner
OPEN BOX long



40483535
Combination spanner
OPEN BOX long



40483434
Combination spanner
OPEN BOX long



40483232
Combination spanner
OPEN BOX long



40482828
Combination spanner
OPEN BOX long



40482424
Combination spanner
OPEN BOX long



40482222
Combination spanner
OPEN BOX long



40482020
Combination spanner
OPEN BOX long



40481818
Combination spanner
OPEN BOX long



40481616
Combination spanner
OPEN BOX long

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96404803	OPEN BOX 13a/8	Combination spanner set OPEN BOX 13a/8 7/16-7/8 8 pcs.	4018754080861
96404812	OPEN BOX 13a/10 KT	Combination spanner set OPEN BOX 13a/10 KT 1/4-3/4 10 pcs.	4018754101979
96404804	OPEN BOX 13a/20	Combination spanner set OPEN BOX 13a/20 1/4-1.1/4 20 pcs.	4018754080878

GTIN-Code.



4 018754 080878

Images.



STÄHLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STÄHLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STÄHLE Eduard Wille GmbH & Co. KG, Wuppertal