




## 1440 TPI-1446 TPI



Product no. **08161027**  
 GTIN **4018754153985**  
 Model **1444 TPI 27 BIT-  
 SCHRAUBENDREHEREINSATZ**



**Label.** 5-star bit screwdriver socket Hex C 6,3 L.26mm

### Technical Attributes.

External hex (inch)	1/4
Size of output profile	TPI27
Length mm (L)	26 mm
Model no.	1444 TPI
External hex drive	C 6,3

### Logistics data.

Depth mm (IFS)	26
Width mm (IFS)	7
Height mm (IFS)	7
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	100
Width (packed, mm)	25
Height (packed, mm)	8
Volume (packed, dm3)	0.02 dm3
Product no.	08161027
Weight (gross, kg)	0,030
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754153985
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82079030
Packing standard	5
Weight	5 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
08161010	1440 TPI 10 BIT-SCHRAUBENDREHEREINSATZ	5-star bit screwdriver socket Hex C 6,3 L.26mm	4018754153947
08161015	1441 TPI 15 BIT-SCHRAUBENDREHEREINSATZ	5-star bit screwdriver socket Hex C 6,3 L.26mm	4018754153954
08161020	1442 TPI 20 BIT-SCHRAUBENDREHEREINSATZ	5-star bit screwdriver socket Hex C 6,3 L.26mm	4018754153961
08161025	1443 TPI 25 BIT-SCHRAUBENDREHEREINSATZ	5-star bit screwdriver socket Hex C 6,3 L.26mm	4018754153978
08161027	1444 TPI 27 BIT-SCHRAUBENDREHEREINSATZ	5-star bit screwdriver socket Hex C 6,3 L.26mm	4018754153985
08161030	1445 TPI 30 BIT-SCHRAUBENDREHEREINSATZ	5-star bit screwdriver socket Hex C 6,3 L.26mm	4018754153992
08161040	1446 TPI 40 BIT-SCHRAUBENDREHEREINSATZ	5-star bit screwdriver socket Hex C 6,3 L.26mm	4018754154081

## GTIN-Code.



## Accessories.



11131010  
Bit fine-tooth ratchet  
with ejector function



11131011  
Bit ratchet



11132020  
Bit fine-tooth ratchet



11133030  
Mini bit ratchet fine-tooth



41541620  
Bit ratchet wrench



18073026  
Bit holder w.handle



18093016  
Bit holder



18103016  
Bit holder w.handle



18110016  
Bit holder



18120001  
Bit ratchet screwdriver



18120002  
Bit ratchet screwdriver