

Combination wrench OPEN BOX, metric, long

OPEN BOX 14



Product no.	40101111
GTIN	4018754019199
Model	OPEN BOX 14 11



Label.

Combination wrench Wrench size 11 mm L.180mm

Product highlights.



Optimum power transmission.

Every wrench guarantees consistently excellent quality due to minimal manufacturing tolerances and highly reproducible precision. The jaws and ring always sit firmly on the bolt, thus ensuring optimal power transmission.



Non-slip surface.

STAHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inserts.



Outstanding craftsmanship.

The wrench is made from high-quality forged chrome alloy steel, making it extremely robust and durable, even during continuous use. It also has a corrosion-resistant chrome-plated finish.

Technologies and features.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.

Double-T profile

Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.

Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

a1 a2

Logistics data.

6 mm	Depth mm (IFS)	180
9 mm	Width mm (IFS)	24

d15,9 mmLength (packed, mm)182DINDIN 3113 Form BWidth (packed, mm)50Length mm (L)180 mmHeight (packed, mm)32Jaw angle15 °Volume (packed, dm3)0.2912 dm3Wrench width 1 [mm]11 mmProduct no.40101111Ring position10 °Weight (gross, kg)0,585Wrench width 2 [mm]11 mmWeight PAP (kg)0,000t10 mmWeight PVC (kg)0,005t10 mmKeight PVC (kg)6ERMANYLKagion of origin AWRGERMANYKKagion of origin for igin AWRNordrhein-WestfalenWEEE/ElektroGnicht ear-pflichtigLLatoms tariff no.82041100Packing standard10Packing standard	Width mm (b)	23.5 mm	Height mm (IFS)	11
Length mm (L)180 mmHeight (packed, mm)32Jaw angle15 °Volume (packed, dm3)0.2912 dm3Wrench width 1 [mm]11 mmProduct no.40101111Ring position10 °Weight (gross, kg)0,585Wrench width 2 [mm]11 mmWeight PAP (kg)0,000t10 mmWeight PVC (kg)0,005t10 mmGTIN4018754019199Lender JackLender JackKeigon of origin AWRGERMANYKeigen of originNordrhein-WestfalenNordrhein-WestfalenLender JackLender JackKeigen for.82041100	d	15,9 mm	Length (packed, mm)	182
Jaw angle15 °Volume (packed, dm3)0.2912 dm3Wrench width 1 [mm]11 mmProduct no.40101111Ring position10 °Weight (gross, kg)0,585Wrench width 2 [mm]11 mmWeight PAP (kg)0,000t10 mmWeight PVC (kg)0,005f10 mmGTIN4018754019199LLKeigon of origin AWRGERMANYKeigon of origin AWRWeight PVC (kg)Nordrhein-WestfalenKeigon of origin AWRKeigon of origin AWRS2041100	DIN	DIN 3113 Form B	Width (packed, mm)	50
Wrench width 1 [mm]11 mmProduct no.40101111Ring position10 °Weight (gross, kg)0,585Wrench width 2 [mm]11 mmWeight PAP (kg)0,000t10 mmWeight PVC (kg)0,005f00 mmWeight PVC (kg)0,005GTINGERMANYGERMANYVeight PVC (kg)0,007/hein-WestfalenVeight PVC (kg)0,007/hein-WestfalenKeigon of originNordrhein-WestfalenKeigen of originNordrhein-WestfalenKeigen stariff no.82041100	Length mm (L)	180 mm	Height (packed, mm)	32
Ring position10 °Weight (gross, kg)0,585Wrench width 2 [mm]11 mmWeight PAP (kg)0,000t10 mmWeight PVC (kg)0,005GTIN4018754019199LCountry of origin AWRGERMANYRegion of originNordrhein-WestfalenWEEE/ElektroGnicht ear-pflichtigBut des terms termsSubstantif no.Substantif no.	Jaw angle	15 °	Volume (packed, dm3)	0.2912 dm3
Wrench width 2 [mm]11 mmWeight PAP (kg)0,000t10 mmWeight PVC (kg)0,005GTIN4018754019199Country of origin AWRGERMANYRegion of originNordrhein-WestfalenWEEE/ElektroGnicht ear-pflichtigCustoms tariff no.82041100	Wrench width 1 [mm]	11 mm	Product no.	40101111
t 10 mm Weight PVC (kg) 0,005 GTIN 4018754019199 Country of origin AWR GERMANY Region of origin Nordrhein-Westfalen WEEE/ElektroG nicht ear-pflichtig Customs tariff no. 82041100	Ring position	10 °	Weight (gross, kg)	0,585
GTIN4018754019199Country of origin AWRGERMANYRegion of originNordrhein-WestfalenWEEE/ElektroGnicht ear-pflichtigCustoms tariff no.82041100	Wrench width 2 [mm]	11 mm	Weight PAP (kg)	0,000
Country of origin AWRGERMANYRegion of originNordrhein-WestfalenWEEE/ElektroGnicht ear-pflichtigCustoms tariff no.82041100	t	10 mm	Weight PVC (kg)	0,005
Region of originNordrhein-WestfalenWEEE/ElektroGnicht ear-pflichtigCustoms tariff no.82041100			GTIN	4018754019199
WEEE/ElektroGnicht ear-pflichtigCustoms tariff no.82041100			Country of origin AWR	GERMANY
Customs tariff no. 82041100			Region of origin	Nordrhein-Westfalen
			WEEE/ElektroG	nicht ear-pflichtig
Packing standard 10			Customs tariff no.	82041100
			Packing standard	10
Weight 55 g			Weight	55 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
40100606	OPEN BOX 14 6	Combination wrench Wrench size 6 mm L.125mm	4018754019144
40100707	OPEN BOX 14 7	Combination wrench Wrench size 7 mm L.135mm	4018754019151
40100808	OPEN BOX 14 8	Combination wrench Wrench size 8 mm L.145mm	4018754019168
40100909	OPEN BOX 14 9	Combination wrench Wrench size 9 mm L.155mm	4018754019175
40101010	OPEN BOX 14 10	Combination wrench Wrench size 10 mm L.165mm	4018754019182
40101111	OPEN BOX 14 11	Combination wrench Wrench size 11 mm L.180mm	4018754019199
40101212	OPEN BOX 14 12	Combination wrench Wrench size 12 mm L.180mm	4018754019205
40101313	OPEN BOX 14 13	Combination wrench Wrench size 13 mm L.195mm	4018754019212
40101414	OPEN BOX 14 14	Combination wrench Wrench size 14 mm L.210mm	4018754019229
40101515	OPEN BOX 14 15	Combination wrench Wrench size 15 mm L.215mm	4018754019236
40101616	OPEN BOX 14 16	Combination wrench Wrench size 16 mm L.230mm	4018754019243

40101717	OPEN BOX 14 17	Combination wrench Wrench size 17 mm L.240mm	4018754019250
40101818	OPEN BOX 14 18	Combination wrench Wrench size 18 mm L.255mm	4018754019267
40101919	OPEN BOX 14 19	Combination wrench Wrench size 19 mm L.265mm	4018754019274
40102020	OPEN BOX 14 20	Combination wrench Wrench size 20 mm L.280mm	4018754019281
40102121	OPEN BOX 14 21	Combination wrench Wrench size 21 mm L.280mm	4018754019298
40102222	OPEN BOX 14 22	Combination wrench Wrench size 22 mm L.300mm	4018754019304
40102424	OPEN BOX 14 24	Combination wrench Wrench size 24 mm L.330mm	4018754019328
40102727	OPEN BOX 14 27	Combination wrench Wrench size 27 mm L.385mm	4018754019359
40103030	OPEN BOX 14 30	Combination wrench Wrench size 30 mm L.415mm	4018754019373
40103232	OPEN BOX 14 32	Combination wrench Wrench size 32 mm L.430mm	4018754019380
40103434	OPEN BOX 14 34	Combination wrench Wrench size 34 mm L.460mm	4018754019397
40103636	OPEN BOX 14 36	Combination wrench Wrench size 36 mm L.480mm	4018754019403
40104141	OPEN BOX 14 41	Combination wrench Wrench size 41 mm L.560mm	4018754019410

GTIN-Code.



Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal