



## Electronic angle and torque wrench SENSOTORK®

713R



Product no. 96501620  
GTIN 4018754156511  
Model 713R/20



### Label.

Electron.angle and torque wrench SENSOTORK® 713R 10-200N·m 1/2" L. 608mm

## Product highlights.



**Accuracy counts - uncertainty is reduced to a minimum to guarantee accurate readings.**



### Multisensory.

The torque achieved is indicated by visual, audible and tactile signals - with a multicoloured backlit LED display, acoustic signal and vibration.

## Technologies and features.



### Factory calibration certificate (ISO calibration)


Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.



### QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.

## Technical Drawing.



## Technical Attributes.

Measuring range N·m	10-200 N·m
Measuring range ft·lb	7-148 ft·lb
External square drive (inch)	1/2
Number of teeth	60
Battery type	Mignon (AA) 1,5V
Width mm (b)	43 mm
DIN	DIN EN ISO 6789-2:2017
Weight with box	2430 g
Size	20
Size tool holder [internal square drive]	14 x 18 mm
Height mm (h)	26 mm
Length mm (L)	608 mm
LF	524 mm
SF	25 mm

## Logistics data.

Depth mm (IFS)	680
Width mm (IFS)	95
Height mm (IFS)	72
WEEE/ElektroG	Großgeräte B2C
Length (packed, mm)	680
Width (packed, mm)	95
Height (packed, mm)	72
Volume (packed, dm <sup>3</sup> )	4.6512 dm <sup>3</sup>
Product no.	96501620
Weight (gross, kg)	2,385
Weight PAP (kg)	0,130
Weight PVC (kg)	0,000
GTIN	4018754156511
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight	1552 g

## Parts list.



81370003  
Plastic box, empty

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
96501606	713R/6	Electron.angle and torque wrench SENSOTORK® 713R 3-60N·m 3/8" L. 378mm	4018754156504
96501620	713R/20	Electron.angle and torque wrench SENSOTORK® 713R 10-200N·m 1/2" L. 608mm	4018754156511
96501640	713R/40	Electron.angle and torque wrench SENSOTORK® 713R 20-400N·m 3/4" L. 838mm	4018754156528

## GTIN-Code.



# Images.

