



Combination spanners i.TCS inlay

TCS OPEN BOX 13a/19

Product no. **96838778**
GTIN **4018754191277**
Model **OPEN BOX TCS 13a/19**



Label. Combination spanners i.TCS inlay OPEN BOX TCS 13a/19 3/16-1 19 pcs.

Features.

- 350 x 350 x 55 mm
- 19-piece set

Advantages.

Made in Germany - Combination spanners i.TCS inlay in TCS inlay, 19 pcs.-pcs, 3/16-1 mm, ring side 15° angled, DIN 3113 Form B,


Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHlwILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inserts.



Order and check.

The set is securely organised in a STAHLWILLE TCS foam inserts. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inserts serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular insert system protects and organises the tools in tool boxes, workshop trolleys and workshop benches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical Drawing.



Technical Attributes.

Number of tools	19 pcs.
Range	3/16-1
Width mm (b)	350 mm
DIN	DIN 3113 Form B
Height mm (h)	55 mm
Length mm (L)	350 mm
Drawer dividers	2/3

Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	355
Height mm (IFS)	85
Length (packed, mm)	365
Width (packed, mm)	355
Height (packed, mm)	85
Volume (packed, dm3)	11.013875 dm3
Product no.	96838778
Weight (gross, kg)	2,660
Weight PAP (kg)	0,256
Weight PVC (kg)	0,000
GTIN	4018754191277
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	2000 g

Parts list.



40484848
Combination spanner
OPEN BOX long



40484646
Combination spanner
OPEN BOX long



40484444
Combination spanner
OPEN BOX long



40484242
Combination spanner
OPEN BOX long



40484141
Combination spanner
OPEN BOX long



40484040
Combination spanner
OPEN BOX long



40483838
Combination spanner
OPEN BOX long



40483636
Combination spanner
OPEN BOX long



40483535
Combination spanner
OPEN BOX long



40483434
Combination spanner
OPEN BOX long



40483232
Combination spanner
OPEN BOX long



40482828
Combination spanner
OPEN BOX long



40482424
Combination spanner
OPEN BOX long



40482222
Combination spanner
OPEN BOX long



40482020
Combination spanner
OPEN BOX long



40481818
Combination spanner
OPEN BOX long



40481616
Combination spanner
OPEN BOX long



40481414
Combination spanner
OPEN BOX long



40481212
Combination spanner
OPEN BOX long



83820617
Safety inserts

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96838778	OPEN BOX TCS 13a/19	Combination spanners i.TCS inlay OPEN BOX TCS 13a/19 3/16-1 19 pcs.	4018754191277

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal