



Torque screwdriver TORSIOMAX

775/12



Product 51060012
no.
GTIN 4018754141630
Model 775/12
DREHMOMENTSCHRAUBENDREHE



Label. Torque screwdriver TORSIOMAX Model 775/12 Hex 1/4"

Technologies and features.



Factory calibration certificate (ISO calibration)

Our torque tools, transducers and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2 and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical Drawing.



Technical Attributes.

| | |
|---------------------------|--------------------|
| Scale division in-lb | - in-lb |
| Scale division cN-m | 1 cN-m |
| Measuring range cN-m | 20-120 cN-m |
| Internal hex drive (mm) | F 6,3 mm |
| DIN | DIN 3126 / ISO1173 |
| Size | 12 |
| Internal hex drive [inch] | 1/4 " |
| Length mm (L) | 157 mm |

Logistics data.

| | |
|-----------------------|------------------------|
| Depth mm (IFS) | 159 |
| Width mm (IFS) | 30 |
| Height mm (IFS) | 30 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packed, mm) | 260 |
| Width (packed, mm) | 51 |
| Height (packed, mm) | 51 |
| Volume (packed, dm3) | 0.67626 dm3 |
| Product no. | 51060012 |
| Weight (gross, kg) | 0,395 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,066 |
| GTIN | 4018754141630 |
| Country of origin AWR | JAPAN |
| Region of origin | Ausländischer Ursprung |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 180 g |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|---------------------------------------|--|---------------|
| 51060003 | 775/3 DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775/3 Hex 1/4" | 4018754141623 |
| 51060012 | 775/12 DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775/12 Hex 1/4" | 4018754141630 |
| 51060030 | 775/30 DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775/30 Hex 1/4" | 4018754150946 |
| 51060050 | 775/50 N DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775/50 Hex 1/4" | 4018754141647 |
| 51060100 | 775/100 DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775/100 Hex 1/4" | 4018754141654 |
| 51460003 | 775A/3 DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775a/3 Hex 1/4" | 4018754142255 |
| 51460012 | 775A/12 DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775a/12 Hex 1/4" | 4018754142262 |
| 51460050 | 775A/50 DREHMOMENTSCHRAUBENDREHER | Torque screwdriver TORSIOMAX Model 775a/50 Hex 1/4" | 4018754142279 |

GTIN-Code.

