



## Double ring wrench, metric, offset

### StahlwilleSTABIL® 20



Product no. **41043032**  
 GTIN **4018754021130**  
 Model **StahlwilleSTABIL 20 30 x 32**



**Label.** Double ring wrench Wrench size 30 x 32 mm L.365mm

## Technologies and features.



### Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



### Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

## Technical Drawing.



## Technical Attributes.

a1	15 mm
a2	16 mm
Drive profile	bi-hex AS-Drive®
d1	42,6 mm
d2	45,4 mm
Length mm (L)	365 mm
Wrench width 1 [mm]	30 mm
Ring position	75 °
Wrench width 2 [mm]	32 mm
t	37 mm

## Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	45
Height mm (IFS)	16
Length (packed, mm)	400
Width (packed, mm)	110
Height (packed, mm)	48
Volume (packed, dm3)	2.112 dm3
Product no.	41043032
Weight (gross, kg)	3,200
Weight PAP (kg)	0,000
Weight PVC (kg)	0,022
GTIN	4018754021130
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	5
Weight	640 g

## Variants.

Product no.	Model no. (ERP)	Description	GTIN
41040607	StahlwilleSTABIL 20 6 x 7	Double ring wrench Wrench size 6 x 7 mm L.165mm	4018754020782
41040809	StahlwilleSTABIL 20 8 x 9	Double ring wrench Wrench size 8 x 9 mm L.180mm	4018754020805
41040810	StahlwilleSTABIL 20 8 x 10	Double ring wrench Wrench size 8 x 10 mm L.180mm	4018754020812
41041011	StahlwilleSTABIL 20 10 x 11	Double ring wrench Wrench size 10 x 11 mm L.200mm	4018754020829
41041013	StahlwilleSTABIL 20 10 x 13	Double ring wrench Wrench size 10 x 13 mm L.220mm	4018754020843
41041213	StahlwilleSTABIL 20 12 x 13	Double ring wrench Wrench size 12 x 13 mm L.220mm	4018754020867
41041317	StahlwilleSTABIL 20 13 x 17	Double ring wrench Wrench size 13 x 17 mm L.245mm	4018754020911
41041415	StahlwilleSTABIL 20 14 x 15	Double ring wrench Wrench size 14 x 15 mm L.245mm	4018754020928

41041617	StahlwilleSTABIL 20 16 x 17	Double ring wrench Wrench size 16 x 17 mm L.255mm	4018754020942
41041719	StahlwilleSTABIL 20 17 x 19	Double ring wrench Wrench size 17 x 19 mm L.270mm	4018754020966
41041819	StahlwilleSTABIL 20 18 x 19	Double ring wrench Wrench size 18 x 19 mm L.275mm	4018754020973
41041821	StahlwilleSTABIL 20 18 x 21	Double ring wrench Wrench size 18 x 21 mm L.300mm	4018754020980
41041922	StahlwilleSTABIL 20 19 x 22	Double ring wrench Wrench size 19 x 22 mm L.300mm	4018754020997
41042022	StahlwilleSTABIL 20 20 x 22	Double ring wrench Wrench size 20 x 22 mm L.300mm	4018754021017
41042123	StahlwilleSTABIL 20 21 x 23	Double ring wrench Wrench size 21 x 23 mm L.315mm	4018754021031
41042124	StahlwilleSTABIL 20 21 x 24	Double ring wrench Wrench size 21 x 24 mm L.330mm	4018754021048
41042224	StahlwilleSTABIL 20 22 x 24	Double ring wrench Wrench size 22 x 24 mm L.330mm	4018754021055
41042426	StahlwilleSTABIL 20 24 x 26	Double ring wrench Wrench size 24 x 26 mm L.330mm	4018754021062
41042427	StahlwilleSTABIL 20 24 x 27	Double ring wrench Wrench size 24 x 27 mm L.330mm	4018754021079
41042528	StahlwilleSTABIL 20 25 x 28	Double ring wrench Wrench size 25 x 28 mm L.350mm	4018754021093
41042730	StahlwilleSTABIL 20 27 x 30	Double ring wrench Wrench size 27 x 30 mm L.360mm	4018754021116
41042732	StahlwilleSTABIL 20 27 x 32	Double ring wrench Wrench size 27 x 32 mm L.360mm	4018754021123
41043032	StahlwilleSTABIL 20 30 x 32	Double ring wrench Wrench size 30 x 32 mm L.365mm	4018754021130
41043034	StahlwilleSTABIL 20 30 x 34	Double ring wrench Wrench size 30 x 34 mm L.365mm	4018754021147
41043641	StahlwilleSTABIL 20 36 x 41	Double ring wrench Wrench size 36 x 41 mm L.440mm	4018754021185
41044650	StahlwilleSTABIL 20 46 x 50	Double ring wrench Wrench size 46 x 50 mm L.535mm	4018754021208

## GTIN-Code.



4 018754 021130

