



Double ring wrench STARTER, metric

STARTER 27



Product no. **41091922**
 GTIN **4018754022090**
 Model **STARTER 27 19 x 22**



Label. Double ring wrench Wrench size 19 x 22 mm L.225mm

Technologies and features.



Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

Technical Drawing.



Technical Attributes.

a	9 mm
Drive profile	bi-hex AS-Drive®
d1	28 mm
d2	32 mm
Length mm (L)	225 mm
r1	48 mm
r2	67 mm
Wrench width 1 [mm]	19 mm
Wrench width 2 [mm]	22 mm

Logistics data.

Depth mm (IFS)	227
Width mm (IFS)	71
Height mm (IFS)	10
Length (packed, mm)	229
Width (packed, mm)	73
Height (packed, mm)	45
Volume (packed, dm3)	0.752265 dm3
Product no.	41091922
Weight (gross, kg)	0,820
Weight PAP (kg)	0,000
Weight PVC (kg)	0,011
GTIN	4018754022090
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	5
Weight	164 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
41091012	STARTER 27 10 x 12	Double ring wrench Wrench size 10 x 12 mm L.150mm	4018754022038
41091113	STARTER 27 11 x 13	Double ring wrench Wrench size 11 x 13 mm L.150mm	4018754022045
41091416	STARTER 27 14 x 16	Double ring wrench Wrench size 14 x 16 mm L.179mm	4018754022052
41091417	STARTER 27 14 x 17	Double ring wrench Wrench size 14 x 17 mm L.179mm	4018754022069
41091517	STARTER 27 15 x 17	Double ring wrench Wrench size 15 x 17 mm L.184mm	4018754022076
41091618	STARTER 27 16 x 18	Double ring wrench Wrench size 16 x 18 mm L.200mm	4018754096770
41091922	STARTER 27 19 x 22	Double ring wrench Wrench size 19 x 22 mm L.225mm	4018754022090

GTIN-Code.

