




Holder for hullsag

612



Varenr. **56061206**
GTIN **4022668612063**
Model **AUFNAHME FUER LOCHSAEGEN**
32-210 MM

Label.

Holder for hullsag min.d. 32mm maks.D. 210mm

Technical Attributes.

Utvendig sekskant drev (mm)	11 mm
Diameter maks. (mm)	210 mm
Diameter maks. (tommer)	8,268 "
Diameter min. (mm)	32 mm
Diameter min. (tommer)	1,260 "

Logistics data.

Dybde mm (IFS)	150
Bredde mm (IFS)	35
Høyde mm (IFS)	35
WEEE/ElektroG	nicht ear-pflichtig
Längd (packad, mm)	156
Bredde (pakket, mm)	40
Høyde (pakket, mm)	40
Volum (pakket, dm3)	0.2496 dm3
Varenr.	56061206
Vekt (brutto, kg)	0,260
Vekt PAP (kg)	0,016
Vekt PVC (kg)	0,000
GTIN	4022668612063
Opprinnelsesland AWR	GERMANY
Opprinnelsesregion	Nordrhein-Westfalen
Tolltariff nr.	84661020
Emballasjestandard	1
Vekt (g)	240 g


Variants.

Varenr.	Modell nr. (ERP)	Betegnelse	GTIN
56061206	AUFNAHME FUER LOCHSAEGEN 32-210 MM	Holder for hullsag min.d. 32mm maks.D. 210mm	4022668612063

GTIN-Code.




Accessories.



56061032
Hullsag




56061035
Hullsag




56061038
Hullsag



56061040
Hullsag



56061041
Hullsag




56061044
Hullsag




56061046
Hullsag



56061048
Hullsag



56061051
Hullsag



56061054
Hullsag




56061057
Hullsag



56061060
Hullsag



56061064
Hullsag



56061067
Hullsag




56061068
Hullsag



56061070
Hullsag



56061073
Hullsag



56061076
Hullsag




56061079
Hullsag



56061083
Hullsag



56061102
Hullsag



56061105
Hullsag



56061114
Hullsag



56061121
Hullsag