



Holder for hullsag

612



Varenr. **56061202**
GTIN **4022668612025**
Model **AUFNAHME FUER LOCHSAEGEN**
14-30 MM

Label.

Holder for hullsag min.d. 14mm maks.D. 30mm

Technical Attributes.

Utvendig sekskant drev (mm)	9,5 mm
Diameter maks. (mm)	30 mm
Diameter maks. (tommer)	1,181 "
Diameter min. (mm)	14 mm
Diameter min. (tommer)	0,551 "

Logistics data.

Dybde mm (IFS)	145
Bredde mm (IFS)	35
Høyde mm (IFS)	35
WEEE/ElektroG	nicht ear-pflichtig
Längd (packad, mm)	156
Bredde (pakket, mm)	40
Høyde (pakket, mm)	40
Volum (pakket, dm3)	0.2496 dm3
Varenr.	56061202
Vekt (brutto, kg)	0,090
Vekt PAP (kg)	0,000
Vekt PVC (kg)	0,024
GTIN	4022668612025
Opprinnelsesland AWR	GERMANY
Opprinnelsesregion	Nordrhein-Westfalen
Tolltariff nr.	84661020
Emballasjestandard	1
Vekt (g)	100 g

Variants.

Varenr.	Modell nr. (ERP)	Betegnelse	GTIN
56061202	AUFNAHME FUER LOCHSAEGEN 14-30 MM	Holder for hullsag min.d. 14mm maks.D. 30mm	4022668612025


GTIN-Code.



Accessories.



56061016
Hullsag




56061019
Hullsag




56061020
Hullsag




56061022
Hullsag



56061024
Hullsag




56061025
Hullsag



56061027
Hullsag



56061029
Hullsag



56061030
Hullsag

