



## Double ring wrench, metric, offset

### StahlwilleSTABIL® 20



Product no. 41042224  
 GTIN 4018754021055  
 Model StahlwilleSTABIL 20 22 x 24



**Label.** Double ring wrench Wrench size 22 x 24 mm L.330mm

## Technologies and features.



### Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



### Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

## Technical Drawing.



## Technical Attributes.

|                     |                  |
|---------------------|------------------|
| a1                  | 14 mm            |
| a2                  | 14 mm            |
| Drive profile       | bi-hex AS-Drive® |
| d1                  | 32,1 mm          |
| d2                  | 34,7 mm          |
| Length mm (L)       | 330 mm           |
| Wrench width 1 [mm] | 22 mm            |
| Ring position       | 75 °             |
| Wrench width 2 [mm] | 24 mm            |
| t                   | 34 mm            |

## Logistics data.

|                       |                     |
|-----------------------|---------------------|
| Depth mm (IFS)        | 340                 |
| Width mm (IFS)        | 40                  |
| Height mm (IFS)       | 35                  |
| Length (packed, mm)   | 360                 |
| Width (packed, mm)    | 95                  |
| Height (packed, mm)   | 37                  |
| Volume (packed, dm3)  | 1.2654 dm3          |
| Product no.           | 41042224            |
| Weight (gross, kg)    | 1,930               |
| Weight PAP (kg)       | 0,000               |
| Weight PVC (kg)       | 0,016               |
| GTIN                  | 4018754021055       |
| Country of origin AWR | GERMANY             |
| Region of origin      | Nordrhein-Westfalen |
| WEEE/ElektroG         | nicht ear-pflichtig |
| Customs tariff no.    | 82041100            |
| Packing standard      | 5                   |
| Weight                | 368 g               |

## Variants.

| Product no. | Model no. (ERP)                | Description  | GTIN          |
|-------------|--------------------------------|--|---------------|
| 41040607    | StahlwilleSTABIL<br>20 6 x 7   | Double ring wrench Wrench size 6 x 7<br>mm L.165mm   | 4018754020782 |
| 41040809    | StahlwilleSTABIL<br>20 8 x 9   | Double ring wrench Wrench size 8 x 9<br>mm L.180mm   | 4018754020805 |
| 41040810    | StahlwilleSTABIL<br>20 8 x 10  | Double ring wrench Wrench size 8 x 10<br>mm L.180mm  | 4018754020812 |
| 41041011    | StahlwilleSTABIL<br>20 10 x 11 | Double ring wrench Wrench size 10 x<br>11 mm L.200mm | 4018754020829 |
| 41041013    | StahlwilleSTABIL<br>20 10 x 13 | Double ring wrench Wrench size 10 x<br>13 mm L.220mm | 4018754020843 |
| 41041213    | StahlwilleSTABIL<br>20 12 x 13 | Double ring wrench Wrench size 12 x<br>13 mm L.220mm | 4018754020867 |
| 41041317    | StahlwilleSTABIL<br>20 13 x 17 | Double ring wrench Wrench size 13 x<br>17 mm L.245mm | 4018754020911 |
| 41041415    | StahlwilleSTABIL<br>20 14 x 15 | Double ring wrench Wrench size 14 x<br>15 mm L.245mm | 4018754020928 |

|          |                                |  |               |
|----------|--------------------------------|--|---------------|
| 41041617 | StahlwilleSTABIL<br>20 16 x 17 | Double ring wrench Wrench size 16 x<br>17 mm L.255mm | 4018754020942 |
| 41041719 | StahlwilleSTABIL<br>20 17 x 19 | Double ring wrench Wrench size 17 x<br>19 mm L.270mm | 4018754020966 |
| 41041819 | StahlwilleSTABIL<br>20 18 x 19 | Double ring wrench Wrench size 18 x<br>19 mm L.275mm | 4018754020973 |
| 41041821 | StahlwilleSTABIL<br>20 18 x 21 | Double ring wrench Wrench size 18 x<br>21 mm L.300mm | 4018754020980 |
| 41041922 | StahlwilleSTABIL<br>20 19 x 22 | Double ring wrench Wrench size 19 x<br>22 mm L.300mm | 4018754020997 |
| 41042022 | StahlwilleSTABIL<br>20 20 x 22 | Double ring wrench Wrench size 20 x<br>22 mm L.300mm | 4018754021017 |
| 41042123 | StahlwilleSTABIL<br>20 21 x 23 | Double ring wrench Wrench size 21 x<br>23 mm L.315mm | 4018754021031 |
| 41042124 | StahlwilleSTABIL<br>20 21 x 24 | Double ring wrench Wrench size 21 x<br>24 mm L.330mm | 4018754021048 |
| 41042224 | StahlwilleSTABIL<br>20 22 x 24 | Double ring wrench Wrench size 22 x<br>24 mm L.330mm | 4018754021055 |
| 41042426 | StahlwilleSTABIL<br>20 24 x 26 | Double ring wrench Wrench size 24 x<br>26 mm L.330mm | 4018754021062 |
| 41042427 | StahlwilleSTABIL<br>20 24 x 27 | Double ring wrench Wrench size 24 x<br>27 mm L.330mm | 4018754021079 |
| 41042528 | StahlwilleSTABIL<br>20 25 x 28 | Double ring wrench Wrench size 25 x<br>28 mm L.350mm | 4018754021093 |
| 41042730 | StahlwilleSTABIL<br>20 27 x 30 | Double ring wrench Wrench size 27 x<br>30 mm L.360mm | 4018754021116 |
| 41042732 | StahlwilleSTABIL<br>20 27 x 32 | Double ring wrench Wrench size 27 x<br>32 mm L.360mm | 4018754021123 |
| 41043032 | StahlwilleSTABIL<br>20 30 x 32 | Double ring wrench Wrench size 30 x<br>32 mm L.365mm | 4018754021130 |
| 41043034 | StahlwilleSTABIL<br>20 30 x 34 | Double ring wrench Wrench size 30 x<br>34 mm L.365mm | 4018754021147 |
| 41043641 | StahlwilleSTABIL<br>20 36 x 41 | Double ring wrench Wrench size 36 x<br>41 mm L.440mm | 4018754021185 |
| 41044650 | StahlwilleSTABIL<br>20 46 x 50 | Double ring wrench Wrench size 46 x<br>50 mm L.535mm | 4018754021208 |

## GTIN-Code.



4 018754 021055

