



Work lights countertop display

13134

Product no. **96774901**
GTIN **4018754349722**
Model **13134 Thekendisplay
Arbeitsleuchte**

Label.

Work lights countertop display Luminous flux (lm)

Features.

- robust counter display for shops, exhibitions, trade fairs etc.
- the compact stand can be quickly assembled
- with 15 bright, pocket-sized mini lights
- 4.5 W COB-LED
- adjustable lighting modes with three brightness settings: Boost (500 lm), 100 % (300 lm), 30 % (100 lm)
- lights for up to 3 hours
- integrated lithium-ion battery 3.7 V/600 mAh/2.22 W
- rechargeable via Type C connection
- charging time approx. 2.5 hours
- with charging indicator light
- with carabiner for attaching to belts or bags
- for fastening to metal surfaces with holding magnet and magnetic base
- water and impact-proof housing protection class: IK07 / IPX3
- accessories: USB Type C charging cable (100 cm)

Advantages.

Modern counter display with 15 mini work lights for professional product presentation.

Rechargeable LED work lights with high output of up to 500 lm.

Slim, compact pocket-sized design for convenience.

Lightweight and compact display for use in shops, at trade fairs, etc.

Up to 3 hours of operating time thanks to the integrated lithium-ion batteries with safety electronics (3.7 V/600 mAh/2.22 W).

Product highlights.



PRODUCT IMAGE
IN PROGRESS


Professional presentation.

This modern counter display presents the 15-piece mini light set at its best - whether for spontaneous purchases at the checkout or as a presentation area at events. It is sturdy, also functions as packaging, is easy to transport and can be set up in seconds.



Handy pocket size.

Our small-format work light can be carried anywhere on the waistband or in a pocket for lighting help when you need it. Thanks to its handy size and minimal weight, it's perfect for lighting difficult to reach areas where conventional torches are often too large.



Universal mounting.

The work light has a carabiner for fastening to a belt or pocket. A magnet in a clip on the back, together with a strong magnetic base, make it possible to securely mount the light on metal surfaces, for precise lighting of the work area.



Effective lighting.

Our powerful work light with COB-LED technology has three lighting levels: Boost (500 lm), 100 % (300 lm), 30 % (100 lm). In Boost mode, the lighting power is increased from 300 to 500 lumens for 60 seconds. The white light of the LEDs has a colour temperature of 5000-7000K, which causes less eye strain and enables fatigue-free working.



Powerful and rechargeable.

The work light has an integrated lithium-ion battery with a capacity of 3.7 V/600 mAh. It is simple to recharge using a USB-C connection. A water-tight silicone cap protects the charging port from external influences. The battery's current state of charge is always visible via a lateral LED control display.

Technical Attributes.

Battery type

Li-Ionen 3,7V 600mAh

Logistics data.

| | |
|----------------------|-----------------|
| Depth mm (IFS) | 220 |
| Width mm (IFS) | 140 |
| Height mm (IFS) | 150 |
| WEEE/ElektroG | Kleingeräte B2C |
| Length (packed, mm) | 220 |
| Width (packed, mm) | 140 |
| Height (packed, mm) | 150 |
| Volume (packed, dm3) | 4.62 dm3 |
| Product no. | 96774901 |
| Weight (gross, kg) | 1,370 |
| Weight PAP (kg) | 0,102 |
| Weight PVC (kg) | 0,000 |

| | |
|-----------------------|------------------------|
| GTIN | 4018754349722 |
| Country of origin AWR | OHNE |
| Region of origin | Ausländischer Ursprung |
| Customs tariff no. | 85131000 |
| Packing standard | 1 |
| Weight | 525 g |

Variants.

| Product no. | Model no. (ERP) | Description | GTIN |
|-------------|--|--|---------------|
| 96774901 | 13134 Thekendisplay Arbeitsleuchte | Work lights countertop display Luminous flux (lm) | 4018754349722 |

GTIN-Code.



Images.

