

Double-ended flex head wrench FLEXI, metric, hex

FLEXI 29



Product no. **43010607**
GTIN **4018754025640**
Model **FLEXI 29 6 x 7**



Label.

Double-ended flex head wrench Wrench size 6 x 7 mm L.180mm

Technologies and features.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



Double-T profile

Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.

Technical Drawing.



Technical Attributes.

a1	23 mm
a2	23 mm
Drive profile	hex AS-Drive®
d1	9,5 mm
d2	11 mm
Length mm (L)	180 mm
Wrench width 1 [mm]	6 mm
Wrench width 2 [mm]	7 mm

Logistics data.

Depth mm (IFS)	180
Width mm (IFS)	12
Height mm (IFS)	12
Length (packed, mm)	182
Width (packed, mm)	50
Height (packed, mm)	33
Volume (packed, dm3)	0.3003 dm3
Product no.	43010607
Weight (gross, kg)	0,510
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
GTIN	4018754025640
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	10
Weight	51 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
43010607	FLEXI 29 6 x 7	Double-ended flex head wrench Wrench size 6 x 7 mm L.180mm	4018754025640

GTIN-Code.

