



## Combination ratcheting spanner set OPEN RATCH, 5 pcs., flat, metric, in TCS insert

### OPEN RATCH TCS 17F/5

Product no. **96830652**  
GTIN **4018754327058**  
Model **OPEN RATCH TCS 17F/5**



#### Label.

Combination ratcheting spanner set OPEN RATCH TCS 17F/5 8-19 5 pcs.

#### Features.

- metric sizes
- Ring side 15° angled design with bi-hex
- 72 teeth, working angle 5 degrees
- Jaw position 15°
- Right/left tightening by flipping the spanner over
- Durable, slim, and lightweight design
- High bending strength due to double T-profile
- STAHLWILLE's round finish ensures a surface that is skin-friendly and has a good grip
- Drop-forged, hardened, and cooled in oil bath
- Chrome-alloy steel, chrome-plated
- Tool assortment in foam insert, modular Tool Control System (TCS) – safety integrated

#### Contents, 5-piece set:

**No. 17F:** SW 8; 10; 13; 17; 19 mm

## Advantages.

With the Tool Control System, the tools fit into chemical-resistant safety foam inserts with high-precision, 3-D cutouts

The 72-tooth ratchet allows a working angle of only 5° - for efficient work even in the tightest spaces.

The distinctive STAHLWILLE round finish gives the ratchet ring open-end spanner a non-slip and pleasant feel for safe working, even with oil-smearred hands.

The practical safety insert system is an intelligent storage solution for tool trolleys and workshop trolleys.

The ring side has a flat design with bi-hex and a jaw position of 15° for working even in hard-to-reach places.



## Product highlights.



### Set for tight installation spaces.

Our ratcheting combination spanner set contains the most common spanner sizes from 8 to 19 mm and therefore covers a wide range of possible applications. The flat design makes it much easier to screw in confined spaces. The jaw opening is inclined by 15°, which means that it lies precisely against the screws and therefore guarantees optimum power transmission. The integrated fine-tooth ratchet enables screws to be tightened quickly and efficiently without having to remove the spanner.



### Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



### Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



## Technologies and features.



### Double T-profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



### Tool Control System

The intelligent modular insert system protects and organises the tools in tool boxes, workshop trolleys and workshop benches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

## Technical Attributes.

Number of tools	5 pcs.
Range	8-19
Width mm (b)	175 mm
Height mm (h)	30 mm
Length mm (L)	350 mm
Drawer dividers	1/3

## Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	180
Height mm (IFS)	45
Length (packed, mm)	365
Width (packed, mm)	180
Height (packed, mm)	45
Volume (packed, dm <sup>3</sup> )	2.9565 dm <sup>3</sup>
Art. no.	96830652
Weight (gross, kg)	0,810
Weight PAP (kg)	0,138
Weight PVC (kg)	0,000
GTIN	4018754327058
Country of origin	TAIWAN, PROVINCE OF CHINA
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Packing standard	1
Weight	722 g

## Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
96830652	OPEN RATCH TCS 17F/5	Combination ratcheting spanner set OPEN RATCH TCS 17F/5 8-19 5 pcs.	4018754327058

## GTIN-Code.



## Images.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal