




Line Maintenance set 167 pcs.

13214 WW

Product no. **97830803**
GTIN **4018754212606**
Model **13214 WW**



Label.

Assortment tool 13214 WW 167 pcs.

Features.

- for maintenance on aircraft and helicopters
- 4x3/3 inserts for 4 drawers (no. TTS 98 PRO for 2 drawers)
- suitable for workbenches no. WB621, WB625; workshop trolley no. TTS 93, TTS 95 PRO, TTS 98 PRO

Contents 167-piece:

9683088, TCS LM WW DIVERSES

- 4 pin punch **No. 109**: 1.4; 2.8; 3.4; 3.9 mm
- 1 locksmith's hammer **No. 10961**: 500 g
- 1 soft-face hammer **No. 10959**: Ø 35 mm
- 1 precision feeler gauges **No. 11095/20**: 0,05-1 mm
- 1 plastic scraper medium blade **No.10678**
- 1 plastic scraper narrow blade **No. 10679**
- 1 plastic scraper angled blade **No. 10680**
- 1 plastic scraper pointed blade **No. 10681**
- 1 cable knife **No. 12320**: blade length 90 mm
- 1 roller tape measure **No. 12935/3**: L. 3 m
- 1 scribe **No. 12321**
- 1 brass mandrel **No. 12495**
- 1 magnet lifter **No. 12601**: 500 g
- 1 caliper **No. 12900**: 150 mm/6"
- 1 tyre-tread gauge **No. 12900/3**
- 1 telescopic mirror **No. 12921M**: Ø 57 mm
- 1 claw gripper **No. 12922**: Ø 6 mm
- 1 steel rule **No. 13110**: 300 mm

96832206, TCS SORT.13214 M WW PLIERS

- 2 slotted screwdrivers **No. 4622**: size 1 (1.0 x 5.5 x 100 mm); size 3 (1.2 x 8.0 x 150 mm)
- 3 PHILLIPS® screwdrivers **No. 4632**: PH1; PH2; PH3
- 1 Set ball-end hex key L-wrenches **No. 10767/9**: 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
- 1 Wire twist pliers **No. 65751220**: L.230 mm
- 1 Grip pliers **No. 6564 2**: L.175 mm
- 1 Combination pliers **No. 6700**: L.160 mm

1 Telephone pliers **No. 6731**: L.200 mm
 1 Water pump pliers **FastGRIP No. 6572**: L.240 mm
 1 Mini-Electronic side cutters **No. 6708**: L.110 mm
 1 Hook tool **No. 13001**: 45° angled L.155 mm
 1 Split pin puller **No. 13009**: L.265 mm
 1 LED torch **No. 13128**: L.130 mm
 1 Round awl **No. 10758**: L.280 mm

96832207, TCS SORT.13214 M WW 1/4-3/8

2 sockets 1/4" **No. 40**: 4; 4.5 mm
 11 sockets 1/4" **No. 40D**: 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
 1 socket 1/4", long **No. 40L**: 4.5 mm
 11 sockets 1/4", long **No. 40DL**: 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
 5 articulated sockets **No. 402**: 1/4" square socket 6; 7; 8; 9; 10 mm
 2 sockets 1/4" **No. 40**: 4; 4.5 mm
 11 sockets 1/4" **No. 40D**: 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
 1 socket 1/4", long **No. 40L**: 4.5 mm
 11 sockets 1/4", long **No. 40DL**: 40DL: 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
 5 Articulated sockets **No. 402**: 1/4" square socket 6; 7; 8; 9; 10 mm
 2 QuickRelease extensions 1/4" **No. 408QR**: L.55 ; 150 mm
 1 Cardan joint 1/4" **No. 407**: L.38 mm
 1 Enlargement piece 3/8" **No. 409**: L.25 mm
 1 Bit fine-tooth ratchet 1/4" **No. 415SGB N**: L.117 mm
 1 Fine-tooth ratchet 1/4" **No. 415QR N**: L.117 mm
 1 Bit holder 1/4" **No. 412**: L.20 mm
 2 QuickRelease extensions 3/8" **No. 426QR**: L.75; 240 mm
 1 Cardan joint 3/8" **No. 428**: L.46 mm
 1 Reducer 3/8" to 1/4" **No. 431**: L.28 mm
 1 Enlargement piece **No. 432 M**: 3/8 to 1/2"
 1 QuickRelease crank 3/8" **No. 453QR**: L.408 mm
 1 QuickRelease fine-tooth ratchet 3/8" **No. 435QR N**: L.193 mm
 1 Bit holder 5/16" **No. 443**: L.32 mm
 1 Plug-in handle **No. 400**: 1/4"
 7 Ratchet combination spanners OPEN RATCH **No. 17**: 8; 9; 10; 12; 13; 17; 19 mm
 1 Bit set **No. 1208**: 1 Quick-change holder 1/4" | L.25mm: SL4.5;6.5;8mm | PH1;2;3
 (2x) | T6;15;20 | T-SET 4;6;8;10 (2x) | INHEX
 5/64;9/64;1/8;3/16;5/32;7/64;3/32;7/32" | adaptor 1/4" 4KT/6KT | 30-piece
 1 Bit ratchet 1/4" **No. 4008-1**: L.250 mm

96832208, TCS SORT.13214 M WW 13ER

18 combination spanners **No. 13**: 5.5; 6; 7; 8; 9; 10; 12; 13; 14; 15; 17; 19; 20; 21; 22;
 24; 27; 30 mm
 5 combination spanners **No. 16**: 3.2; 3.5; 4; 4.5; 5 mm

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place and are only released again at the push of a button for a quick tool change.



Tool Control System

The intelligent modular insert system protects and organises the tools in tool boxes, workshop trolleys and workshop benches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical Attributes.

Number of tools	167 pcs.
Width mm (b)	430 mm
Height mm (h)	210 mm
Length mm (L)	620 mm

Logistics data.

Depth mm (IFS)	620
Width mm (IFS)	430
Height mm (IFS)	200
Length (packed, mm)	760
Width (packed, mm)	567
Height (packed, mm)	210
Volume (packed, dm ³)	90.4932 dm ³
Art. no.	97830803
Weight (gross, kg)	15,500
Weight PAP (kg)	2,500
Weight PVC (kg)	0,000
GTIN	4018754212606
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	Kleingeräte B2C
Customs tariff no.	82060000
Packing standard	1
Weight	15500 g

Variants.


Art. no.	Art. no. (ERP)	Description	GTIN
97830803	13214 WW	Assortment tool 13214 WW 167 pcs.	4018754212606

GTIN-Code.



4 018754 212606

Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal