



Automated calibrating and adjusting unit from 1 to 400 N·m

7794-3

Product no. **96521094**
GTIN **4018754214907**
Model **7794 - 3**

Label.

Automatic calibration and adjustment system Measuring r.1-400N·m for transducers 7728 (sizes 1-100)

Features.

- **automatically calibrates electronic torque and angle-controlled wrenches made by STAHLWILLE**
- design patent
- protected by national and international patents
- model is the same as perfectControl® No 7794-2, except it is additionally suited to calibrating angle-controlled wrenches
- optimum adaptation to working height with motorised height adjustment
- calibration up to 1000 N·m is possible using the easily attached expansion unit No 7791-1 and set of adaptor plates No 7791-4, Code 52110491
- supplied without torque wrench, transducer or notebook

Content:

6 calibrating square drive insert tools No 734K (sizes 4, 5, 12, 20, 40, 100)
6 square drive adaptors (No 409M, No 7787, No 7788, No 7789, No 7789-4, No 7789-5)
1 USB adaptor No 7757-1
1 software TorkMaster 7731-1
1 jack cable No 7751
1 spiral cable No 7752
1 spiral cable No 7751-2 with jack plug and self-locking precision plug
1 low-temperature cable connector
1 hexagon key wrench No 10760CV 2 mm

Advantages.

Automatically calibrates electronic STAHLWILLE torque and angle wrenches



Technical Attributes.

Range N·m	1-400 N·m
Width mm (b)	640 mm
Functional length (LF) max. mm	815 mm
for transducers	7728 (sizes 1-100)
Height mm (h)	884-1134 mm
Length mm (L)	1060 mm
Profile width	180 mm

Logistics data.

Length (packed, mm)	190
Width (packed, mm)	190
Height (packed, mm)	160
Volume (packed, dm ³)	5.776 dm ³
Art. no.	96521094
Weight (gross, kg)	1,00
GTIN	4018754214907
Customs tariff no.	90319000
Packing standard	1
Weight	230000 g

Variants.

Art. no.	Artikelnr. (ERP)	Description	GTIN
96521094	7794 - 3	Automatic calibration and adjustment system Measuring r.1-400N·m for transducers 7728 (sizes 1-100)	4018754214907

GTIN-Code.



Accessories.



52110061
Interface adaptor