



Combination ratcheting wrench OPEN RATCH, metric, double hex.

OPEN RATCH 17F

Product no. 40171212

GTIN **4018754281909**

Model OPEN RATCH 17F 12





Label.

Combination ratcheting wrench Wrench size 12 mm L.170mm

Features.

- · metric wrench sizes
- flat design
- jaw position 15°
- double hex ring
- integrated ratchet
- 72 teeth
- working angle 5°
- change direction by flipping the spanner over
- · reinforced connection between jaw and shaft
- · durable, slim and lightweight design
- high bending strength due to double T-profile
- STAHLWILLE rounded finish provides a non-slip, comfortable feel
- · drop-forged, hardened and cooled in oil bath
- · chrome alloy steel, chrome plated

Advantages.

Premium quality metric combination ratchet wrench.

The integrated 72-sprocket ratchet provides a working angle of only 5°.

The flat design facilitates working in tight spaces.

Easy direction change by simply flipping the spanner over.

The distinctive STAHLWILLE rounded finish gives the combination ratchet wrench a non-slip and comfortable feel for safe working, even with oily hands.



Product highlights.



Integrated ratchet.

Our combination ratcheting wrenches have an integrated fine-tooth ratchet. There is no need to change your grip or apply the tool several times. The bolt can be tightened quickly and efficiently without stopping, as with a ratchet.



For tight installation spaces.

The flat design of the combination ratcheting wrench makes it easy to work in tight installation spaces.



Excellent workmanship.

The wrench is made from high-quality forged chrome alloy steel, giving it excellent robustness and durability, even in continuous use. It also has a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE wrenches have a high-quality surface structure with a good grip, making it possible to work safely and securely, even with greasy hands. The non-slip property increases handling control.



For all cases.

Our combination ratcheting wrenches are available in different versions (metric, imperial, angled, flat) and as sets in roll-up cases or TCS inserts.

Technologies and features.



Double T-profile


Our combination and ring wrenches have an additional recess in the middle of the tool. Similar to the principle of a double T-beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

STAHLWILLE wrenches are reinforced between the jaw and shaft, as this is where the greatest forces are exerted. The special design strengthens the stress zones, thus reducing the risk of breakage to a minimum.

Technical Drawing.



Technical Attributes.

| Number of teeth | 72 |
|---------------------|---------|
| Working angle | 5 ° |
| Width mm (b) | 25 mm |
| d | 23,5 mm |
| Length mm (L) | 170 mm |
| Jaw angle | 15 ° |
| Wrench width 1 [mm] | 12 mm |
| Wrench width 2 [mm] | 12 mm |

Logistics data.

| Depth mm (IFS) | 170 | |
|----------------------|---------------------------|--|
| Width mm (IFS) | 25 | |
| Height mm (IFS) | 10 | |
| Length (packed, mm) | 240 | |
| Width (packed, mm) | 100 | |
| Height (packed, mm) | 20 | |
| Volume (packed, dm3) | 0.48 dm3 | |
| Product no. | 40171212 | |
| Weight (gross, kg) | 0,452 | |
| Weight PAP (kg) | 0,000 | |
| Weight PVC (kg) | 0,000 | |
| GTIN | 4018754281909 | |
| Country of origin | TAIWAN, PROVINCE OF CHINA | |
| Region of origin | Ausländischer Ursprung | |
| WEEE/ElektroG | nicht ear-pflichtig | |
| Customs tariff no. | 82041100 | |
| Packing standard | 5 | |
| Weight | 88 g | |

Variants.

| Product no. | Art. no. (ERP) | Description | GTIN |
|-------------|----------------------|---|---------------|
| 40170808 | OPEN RATCH 17F 8 | Combination ratcheting wrench Wrench size 8 mm L.145mm | 4018754281862 |
| 40170909 | OPEN RATCH 17F 9 | Combination ratcheting wrench Wrench size 9 mm L.150mm | 4018754281879 |
| 40171010 | OPEN RATCH 17F 10 | Combination ratcheting wrench Wrench size 10 mm L.160mm | 4018754281886 |
| 40171111 | OPEN RATCH 17F 11 | Combination ratcheting wrench Wrench size 11 mm L.165mm | 4018754281893 |
| 40171212 | OPEN RATCH 17F 12 | Combination ratcheting wrench Wrench size 12 mm L.170mm | 4018754281909 |
| 40171313 | OPEN RATCH 17F 13 | Combination ratcheting wrench Wrench size 13 mm L.180mm | 4018754281916 |
| 40171414 | OPEN RATCH 17F 14 | Combination ratcheting wrench Wrench size 14 mm L.185mm | 4018754281923 |
| 40171515 | OPEN RATCH 17F 15 | Combination ratcheting wrench Wrench size 15 mm L.200mm | 4018754281930 |
| 40171616 | OPEN RATCH 17F 16 | Combination ratcheting wrench Wrench size 16 mm L.225mm | 4018754281947 |
| 40171717 | OPEN RATCH 17F 17 | Combination ratcheting wrench Wrench size 17 mm L.230mm | 4018754281954 |
| 40171818 | OPEN RATCH 17F 18 | Combination ratcheting wrench Wrench size 18 mm L.240mm | 4018754281961 |
| 40171919 | OPEN RATCH 17F 19 | Combination ratcheting wrench Wrench size 19 mm L.255mm | 4018754281978 |
| 40172121 | OPEN RATCH 17F 21 | Combination ratcheting wrench Wrench size 21 mm L.275mm | 4018754323104 |
| 40172222 | OPEN RATCH 17F 22 | Combination ratcheting wrench Wrench size 22 mm L.285mm | 4018754323111 |
| 40172424 | OPEN RATCH 17F 24 | Combination ratcheting wrench Wrench size 24 mm L.295mm | 4018754323128 |

GTIN-Code.



Images.

