

TORX® sockets 1/4"

40TX



Product no. **01270005**
GTIN **4018754000944**
Model **40 TX E 5**



Label. 1/4 " Socket L.23mm


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical Drawing.



Technical Attributes.

Drive profile	TORX®
Internal square drive (inch)	1/4 "
d1	6,7 mm
d2	10,7 mm
d3	2,8 mm
Size of output profile	E5
Length mm (L)	23 mm
t1	5 mm
t2	15 mm

Logistics data.

Depth mm (IFS)	25
Width mm (IFS)	11
Height mm (IFS)	11
Length (packed, mm)	75
Width (packed, mm)	50
Height (packed, mm)	11
Volume (packed, dm3)	0.04125 dm3
Product no.	01270005
Weight (gross, kg)	0,075
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754000944
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Packing standard	10
Weight	7 g

Variants.

Product no.	Model no. (ERP)	Description	GTIN
01270004	40 TX E 4	1/4 " Socket L.23mm	4018754000937
01270005	40 TX E 5	1/4 " Socket L.23mm	4018754000944
01270006	40 TX E 6	1/4 " Socket L.23mm	4018754000951
01270007	40 TX E 7	1/4 " Socket L.23mm	4018754000968
01270008	40 TX E 8	1/4 " Socket L.23mm	4018754000975
01270010	40 TX E 10	1/4 " Socket L.23mm	4018754000982

GTIN-Code.



